References

[1] M. Abramowitz and I.A. Stegun. *Handbook of Mathematical Functions*. Dover Publications, Inc., New York, 1965.

[2] M.A. Al-Habash, L.C. Andrews, and R.L. Phillips. Mathematical model for the irradiance probability density function of a laser beam propagating through turblent media. *Opt. Eng.*, **40**:1554–1562, 2001 [doi: 10.1117/1.1386641].

[3] I.M. Andrews and J.A. Leendertz. Speckle pattern interferometry of vibration modes. *IBM J. Res. Develop.*, **20**:285–289, 1976.

[4] E. Archibold, J.M. Burch, and A.E. Ennos. Recording of in-plane displacement by double-exposure speckle photography. *Optica Acta*, **17**:883–898, 1970.

[5] E. Archibold, A.E. Ennos, and P.A. Taylor. A laser speckle interferometer for the detection of surface movements and vibration. In J.H. Dickson, editor, *Optical Instruments and Techniques*, page 265. Oriel, Newcastle upon Tyne, UK, 1969.

[6] J.M. Artigas, A. Felipe, and M.J. Buades. Contrast sensitivity of the visual system in speckle imagery. *J. Opt. Soc. Am. A*, **11**:2345–2349, 1994.

[7] J.R. Artigas and A. Felipe. Effect of luminance on photopic visual acuity in the presence of laser speckle. *J. Opt. Soc. Am. A*, **5**:1767–1771, 1988.

[8] G.R. Ayers, M.J. Northcott, and J.C. Dainty. Knox–Thompson and triple-correlation imaging through atmospheric turbulence. *J. Opt. Soc. Am. A*, **5**:963–985, 1988.

[9] R.D. Bahuguna, K.K. Gupta, and K. Singh. Expected number of intensity level crossings in a normal speckle pattern. *J. Opt. Soc. Am.*, **70**:874–876, 1980.

[10] R.D. Bahuguna and D. Malacara. Stationarity of speckle in laser refraction. *J. Opt. Soc. Am.*, **73**:1213–1215, 1983.

[11] R.D. Bahuguna and D. Malacara. Speckle motion: The apparent source position for a plane diffuser. *J. Opt. Soc. Am. A*, **1**:420–422, 1984.

[12] R. Barakat. First-order probability densities of laser speckle patterns observed through finite-size scanning apertures. *Optica Acta*, **20**:729–740, 1973.

[13] R. Barakat. The level-crossing rate and above level duration time of the intensity of a Gaussian random process. *Inf. Sci. (New York)*, **20**:83–87, 1980.
[14] R. Barakat. Statistics of the Stokes parameters. *J. Opt. Soc. Am. A*, **4**:1256–1263, 1987.
[15] N.B. Baranova, B. Ya. Zel'dovich, A.V. Mamaev, N. Pilipetskii, and V.V. Shukov. Dislocations of the wavefront of a speckle-inhomogeneous field (theory and experiment). *JETP Letters*, **33**:195–199, 1981.
[16] J. Barton and S. Stromski. Flow measurement without phase information in optical coherence tomography images. *Opt. Exp.*, **13**:5234–5239, 2005.
[17] P. Beckmann and A. Spizzichino. *The Scattering of Electromagnetic Waves from Rough Surfaces*. Artech House, Norwood, Massachusetts, 1987.
[18] M.V. Berry. Disruption of wavefronts: Statistics of dislocations in incoherent Gaussian random waves. *J. Phys. A*, **11**:27–37, 1978.
[19] N.M. Blackman. *Noise and Its Effect on Communication*. McGraw-Hill Book Co., New York, 1963.
[20] E.E. Bloemhof. Suppression of speckles at high adaptive correction using speckle symmetry. *Proc. SPIE*, **6309**, 63090X, 2006 [doi: 10.1117/12.681477].
[21] A. Boccaletti, R. Riaud, and D. Rouan. Speckle symmetry with high-contrast coronographs. *Pub. Astron. Soc. Pac.*, **114**:132–136, 2002.
[22] B.E. Bouma and G.J. Tearney, editors. *Handbook of Optical Coherence Tomography*. Marcel Dekker, Inc., New York, 2002.
[23] R.N. Bracewell. *The Fourier Transform and Its Applications*. McGraw-Hill Book Co., New York, 3rd edition, 1999.
[24] D. Brogioli, A. Vailati, and M. Giglio. Heterodyne near-field scattering. *Applied Phys. Lett.*, **81**:4109, 2002.
[25] J.M. Burch and J.M.J. Tokarski. Production of multiple beam fringes from photographic scatterers. *Optica Acta*, **15**:101–111, 1968.
[26] J.N. Butters. Speckle pattern interferometry using video techniques. *Opt. Eng.*, **10**:5–9, 1971 [doi: 10.1117/12.7971587].
[27] H. Cao. Perspective on speckle spectrometers (editorial). *J. Optics*, **19**:1–5, 2017.
[28] M. Chakrabarti, M.L. Jakobsen, and S.G. Hanson. Speckle-based spectrometer. *Optics Lett.*, **40**:3264–3267, 2015.
[29] W.N. Charman. Speckle movement in laser refraction. I. Theory. *Am. J. Optom. Physiol. Opt.*, **56**:219–227, 1979.
[30] W.N. Charman and H. Whitefoot. Speckle motion in laser refraction. II. Experimental. *Am. J. Optom. Physiol. Opt.*, **56**:295–304, 1979.
[31] Y-C. Chiang, Y-P. Chiou, and H-C. Chang. Improved full-vectorial finite-difference mode solver for optical waveguides with step-index profiles. *J. Lightwave Tech.*, **20**:1609–1618, 2002.

[32] R.A. Chipman, W-S. T. Lam, and G. Young. *Polarized Light and Optical Systems*. CRC Press, Taylor & Francis Group, Boca Raton, Florida, 2019.
[33] M.A. Condie. *An Experimental Investigation of the Statistics of Diffusely Reflected Coherent Light*. PhD thesis, Stanford University, 1966.
[34] K. Creath. Phase-shifting speckle interferometry. *Appl. Opt*., **24**:3053–3058, 1985.
[35] J.C. Dainty. Detection of images immersed in speckle noise. *Optica Acta*, **18**:327–339, 1971.
[36] J.C. Dainty, editor. *Laser Speckle and Related Phenomena*. Springer Verlag, Berlin, Heidelberg, New York, Tokyo, 2nd edition, 1984.
[37] J.C. Dainty and W.T. Welford. Reduction of speckle in image plane hologram reconstruction by moving pupils. *Optics Commun*., **3**:289–294, 1971.
[38] W.B. Davenport and W.L. Root. *Random Signals and Noise*. McGraw-Hill Book Co., New York, 1958.
[39] M.R. Dennis. *Topological Singularities in Wave Fields*. PhD thesis, University of Bristol, 2001.
[40] S. Donati and G. Martini. Speckle-pattern intensity and phase: Second-order conditional statistics. *J. Opt. Soc. Am*., **69**:1690–1694, 1979.
[41] D. Dudley, W.M. Duncan, and J. Slaughter. Emerging digital micromirror device (DMD) applications. *Proc. SPIE*, **4985**, 14–26, 2003 [doi: 10.1117/12.480761].
[42] K.J. Ebeling. Statistical properties of spatial derivatives of amplitude and intensity of monochromatic speckle patterns. *Optica Acta*, **26**:1505–1521, 1979.
[43] M. Elbaum, M. Greenebaum, and M. King. A wavelength diversity technique for reduction of speckle size. *Optics Commun*., **5**:171–174, 1972.
[44] M. Elbaum, M. King, and M. Greenbaum. Laser correlography: Transmission of high-resolution object signatures through the turbulent atmosphere. Technical Report Report T-1/306-3-11, Riverside Research Institute, New York, 1974.
[45] A.E. Ennos. Speckle interferometry. In J.C. Dainty, editor, *Laser Speckle and Related Phenomena*, pages 203–253. Springer-Verlag, 2nd edition, 1984.
[46] R.E. Epworth. The phenomenon of modal noise in analog and digital optical fibre systems. In *Proceedings of the Fourth European Conference on Optical Communications*, pages 492–501, Genoa, Italy, September 1978.
[47] R.K. Erf, editor. *Speckle Metrology*. Academic Press, New York, 1978.
[48] L. Eyges. *The Classical Electromagnetic Field*. Dover Publications, Inc., New York, 1980.

[49] S. Feng, C. Kane, P.A. Lee, and A.D. Stone. Correlations and fluctuations of coherent wave transmission through disordered media. *Phys. Rev. Lett.*, **61**:834–837, 1988.
[50] A.F. Fercher, W. Drexler, C.K. Hitzenberger, and T. Lasser. Optical coherence tomography—principles and applications. *Rep. Prog. Phys.*, **66**:239–303, 2003.
[51] A.F. Fercher and P.F. Steeger. First-order statistics of Stokes parameters in speckle fields. *Optica Acta*, **28**:443–448, 1981.
[52] J.R. Fienup. Reconstruction of an object from the modulus of its Fourier transform. *Opt. Lett.*, **3**:27–29, 1978.
[53] J.R. Fienup. Phase retrieval algorithms: A comparison. *Appl. Opt.*, **21**:2758–2769, 1982.
[54] J.R. Fienup. Unconventional imaging systems: Image formation from non-imaged laser speckle patterns. In S.R. Robinson, editor, *The Infrared & Electro-Optical Systems Handbook*, volume **8**. Environmental Research Institute of Michigan, 1993.
[55] J.R. Fienup and P.S. Idell. Imaging correlography with sparse arrays of detectors. *Opt. Eng.*, **27**:778–784, 1988 [doi: 10.1117/12.79976761].
[56] J.R. Fienup, R.G. Paxman, M.F. Reiley, and B.J. Thelen. 3D imaging correlography and coherent image reconstruction. *Proc. SPIE*, **3815**, 1999 [doi: 10.1117/12.364150].
[57] M. Françon. *Laser Speckle and Applications in Optics*. Academic Press, New York, San Francisco, London, 1979. English translation by H.H. Arsenault.
[58] I. Freund. Optical vortices in gaussian random wave fields: Statistical probability densities. *J. Opt. Soc. Am. A*, **11**:1644–1652, 1994.
[59] I. Freund, M. Rosenbluh, and S. Feng. Memory effects in propagation of optical waves through disordered media. *Phys. Rev. Lett.*, **61**:2328–2331, 1988.
[60] I. Freund and N. Shvartsman. Wave-field phase singularities: The sign principle. *Phys. Rev. A*, **50**:5164–5172, 1994.
[61] T. Fricke-Begemann and J. Burke. Speckle interferometry: Three-dimensional deformation field measurement with a single interferogram. *Appl. Opt.*, **40**:5011–5022, 2001.
[62] D.L. Fried. Optical resolution through a randomly inhomogeneous medium for very long and very short exposures. *J. Opt. Soc. Am.*, **56**:1372–1379, 1966.
[63] H. Fuji and T. Asakura. Effects of surface roughness on the statistical distribution of image speckle intensity. *Optics Commun.*, **11**:35–38, 1974.
[64] H. Fujii, T. Asakura, and Y. Shindo. Measurement of surface roughness properties by using image speckle contrast. *J. Opt. Soc. Am.*, **66**:1217–1222, 1976.

[65] H. Fujii, J. Uozumi, and T. Asakura. Computer simulation study of image speckle patterns with relation to object surface profile. *J. Opt. Soc. Am.*, **66**:1202–1206, 1976.
[66] N. George, C.R. Christensen, J.S. Benneth, and B.D. Guenther. Speckle noise in displays. *J. Opt. Soc. Am.*, **66**:1282–1289, 1976.
[67] N. George and A. Jain. Speckle reduction using multiple tones of illumination. *Appl. Opt.*, **12**:1202–1212, 1973.
[68] N. George and A. Jain. Space and wavelength dependence of speckle intensity. *Appl. Phys.*, **4**:201–212, 1974.
[69] D.Y. Gezari, A. Labeyrie, and R.V. Stachnik. Speckle interferometry: diffraction-limited measurements of nine stars with the 200-inch telescope. *Astrophys. J.*, **173**:L1–L5, 1972.
[70] A. Ghatak and K. Thyagarajan. Graded index optical waveguides: A review. In E. Wolf, editor, *Progress in Optics*, volume **18**, pages 1–126. Elsevier North-Holland, 1980.
[71] D.C. Ghiglia and M.D. Pritt. *Two-Dimensional Phase Unwrapping*. John Wiley & Sons, New York, 1998.
[72] M. Giglio, M. Carpineti, and A. Vailati. Space intensity correlations in the near field of scattered light: A direct measurement of the density correlation function $g(r)$. *Phys. Rev. Lett.*, **85**:1416–1419, 2000.
[73] M. Giglio, M. Carpineti, A. Vailati, and D. Brogioli. Near-field intensity correlations of scattered light. *Appl. Opt.*, **40**:4036–4040, 2001.
[74] D. Gloge and E.A. Marcatili. Multimode theory of graded-core fibers. *Bell Syst. Tech. J.*, **52**:1563–1578, 1973.
[75] L.I. Goldfischer. Autocorrelation function and power spectral density of laser-produced speckle patterns. *J. Opt. Soc. Am.*, **55**:247–252, 1965.
[76] J.W. Goodman. Statistical properties of laser sparkle patterns. Technical Report T.R. 2303-1, Stanford Electronics Laboratories, Stanford, California, 1963.
[77] J.W. Goodman. Some effects of target-induced scintillation on optical radar performance. *Proc. IEEE*, **53**:1688–1700, 1965.
[78] J.W. Goodman. Comparative performance of optical radar detection techniques. *IEEE Trans. Aerospace and Electronic Systems*, **AES-2**:526–535, 1966.
[79] J.W. Goodman. Dependence of image speckle contrast on surface roughness. *Optics Commun.*, **14**:324–327, 1975.
[80] J.W. Goodman. Role of coherence concepts in the study of speckle. *Proc. SPIE*, **194**:86–94, 1979 [doi: 10.1117/12.957910].
[81] J.W. Goodman. Speckle with a finite number of steps. *Appl. Opt.*, **47**:A111–A118, 2008.
[82] J.W. Goodman. Some properties of speckle from "smooth" objects. *Opt. Eng.*, **49**:068001, 2010 [doi: 10.1117/1.3454387].

[83] J.W. Goodman. *Statistical Optics*. John Wiley & Sons, New York, 2nd edition, 2015.
[84] J.W. Goodman. *Introduction to Fourier Optics*. W.H. Freeman and Co., New York, 4th edition, 2017.
[85] J.W. Goodman and E.G. Rawson. Statistics of modal noise in fibers: A case of constrained speckle. *Opt. Lett.*, **6**:324–326, 1981.
[86] I.I. Gradshteyn and I.M. Ryzhik. *Table of Integrals Series and Products*. Academic Press, New York, 1965.
[87] D.A. Gregory. Basic physical principles of defocused speckle photography: A tilt topology inspection technique. *Opt. Laser Technol.*, **8**:201–213, 1976.
[88] G. Groh. Engineering uses of laser produced speckle patterns. In *Proc. Symposium on the Engineering Uses of Holography*, pages 483–497, London, 1970. University of Strathclyde, Cambridge University Press.
[89] M.R. Hee. Optical coherence tomography: Theory. In B.E. Bouma and G.J. Tearney, editors, *Handbook of Optical Coherence Tomography*, Chapter 2, pages 41–66. Marcel Dekker, Inc., New York, 2002.
[90] P.S. Idell, J.R. Fienup, and R.S. Goodman. Image synthesis from nonimaged laser-speckle patterns. *Opt. Lett.*, **12**:858–860, 1987.
[91] K. Iizuka. *Elements of Photonics in Free Space Media and Special Media*, volume **1**. Wiley-Interscience, New York, 2002.
[92] E. Ingelstam and S. Ragnarsson. Eye refraction examined by aid of speckle pattern produced by coherent light. *Vision Res.*, **12**:411–420, 1972.
[93] A. Ishimaru. *Wave Propagation and Scattering in Random Media*. Academic Press, New York, 1978.
[94] E.V. Ivakin, A.I. Kitsak, N.V. Karelin, A.M. Lazaruk, and A.S. Rubanov. Approaches to coherence destruction of short laser pulses. *Proc. SPIE*, **4751**, 34–41, 2002 [doi: 10.1117/12.475921].
[95] E. Jakeman. On the statistics of K-distributed noise. *J. Phys. A: Math. Gen.*, **13**:31–48, 1980.
[96] E. Jakeman. K-distributed noise. *J. Opt. A., Pure Appl. Opt.*, **1**:784–789, 1999.
[97] E. Jakeman and P.N. Pusey. A model for non-Rayleigh sea echo. *IEEE Trans. Antennas and Propag.*, **24**:806–814, 1976.
[98] E. Jakeman and P.N. Pusey. Significance of K-distributions in scattering experiments. *Phys. Rev. Lett.*, **40**:546–548, 1978.
[99] E. Jakeman and K.D. Ridley. *Modeling Fluctuations of Scattered Waves*. Taylor & Francis, New York, London, 2006.
[100] R. Jones and C. Wykes. *Holographic and Speckle Interferometry*. Cambridge University Press, Cambridge, UK, 1989.
[101] R.C. Jones. A new calculus for the treatment of optical systems. *J. Opt. Soc. Am.*, **31**:488–503, 1941.

[102] T.R. Judge and P.J. Bryanston-Cross. A review of phase unwrapping techniques in fringe analysis. *Opt. Lasers Eng*., **21**:199–239, 1994.
[103] D.A. Kessler and I. Freund. Level-crossing densities in random wave fields. *J. Opt. Soc. Am. A*, **15**:1608–1618, 1998.
[104] K. Khare and N. George. Sampling theory approach to prolate spheroidal wavefunctions. *J. Phys. A*, **36**:10011–10021, 2003.
[105] K.T. Knox and B.J. Thompson. Recovery of images from atmospherically degraded short exposure images. *Astrophys. J*., **193**:L45–L48, 1974.
[106] A.N. Kolmogorov. The local structure of turbulence in incompressible viscous fluids for very large Reynolds numbers. In S.K. Friedlander and L. Topper, editors, *Turbulence, Classic Papers on Statistical Theory*. Wiley Interscience, New York, 1961.
[107] D. Korff. Analysis of a method for obtaining near-diffraction-limited information in the presence of atmospheric turbulence. *J. Opt. Soc. Am*., **63**:971–980, 1973.
[108] M. Kowalczyk. Density of 2D gradient of intensity in fully developed speckle patterns. *Optics Commun*., **48**:233–236, 1883.
[109] V.N. Kowar and J.R. Pierce. Detection of gratings and small features in speckle imagery. *Appl. Opt*., **20**:312–319, 1981.
[110] A. Kozma and C.R. Christensen. Effects of speckle on resolution. *J. Opt. Soc. Am*., **66**:1257–1260, 1976.
[111] A. Labeyrie. Attainment of diffraction limited resolution in large telescopes by Fourier analyzing speckle patterns in star images. *Astron. Astrophys*., **6**:85, 1970.
[112] J.A. Leendertz. Interferometric displacement measurement. *J. Phys. E: Scientific Instruments*, **3**:214–218, 1970.
[113] D. Léger, E. Mathieu, and J.C. Perrin. Optical surface roughness determination using speckle correlation technique. *Appl. Opt*., **14**:872–877, 1975.
[114] L. Leushacke and M. Kirchner. Three-dimensional correlation of speckle intensity for rectangular and circular apertures. *J. Opt. Soc. Am. A*, **7**:827–832, 1990.
[115] H.J. Levinson. *Principles of Lithography*. SPIE Press, Bellingham, Washington, 4th edition, 2019 [doi: 10.1117/3.2525393].
[116] A.W. Lohmann, G. Weigelt, and B. Wirnitzer. Speckle masking in astonomy: Triple correlation theory and applications. *Appl. Opt*., **22**:4028–4037, 1983.
[117] S. Lowenthal and D. Joyeux. Speckle removal by a slowly moving diffuser associated with a motionless diffuser. *J. Opt. Soc. Am*., **61**:847, 1971.
[118] A. Macovski, S.D. Ramsey, and L.F. Schaefer. Time-lapse interferometry and contouring using television systems. *Appl. Opt*., **10**:2722–2727, 1971.

[119] L. Mandel. Fluctuations of photon beams: The distribution of photo-electrons. *Proc. Phys. Soc.*, **74**:233–243, 1959.
[120] J.G. Manni and J.W. Goodman. Versatile method for achieving 1% speckle contrast in large-venue laser projection displays using a stationary multimode optical fiber. *Optics Express*, **20**:11288–11315, 2012.
[121] M. Mansuripur. *Classical Optics and Its Applications*. Cambridge University Press, Cambridge, UK, 2002.
[122] J.I. Marcum. A statistical theory of target detection by pulsed radar. *IRE Trans. Information Theory*, **IT-6**:59, 1960.
[123] W. Martienssen and S. Spiller. Holographic reconstruction without granulation. *Phys. Lett.*, **24A**:126–128, 1967.
[124] C.L. Matson. Weighted-least-squares phase reconstruction from the bispectrum. *J. Opt. Soc. Am. A*, **8**:1905–1913, 1991.
[125] T.S. McKechnie. Speckle reduction. In J.C. Dainty, editor, *Laser Speckle and Related Phenomena*. Springer-Verlag, 2nd edition, 1984.
[126] D. Middleton. *An Introduction to Statistical Communication Theory*. IEEE Press, Piscataway, New Jersey, 1996. IEEE Press Classic Re-issue.
[127] B.D. Millikan and J.S. Wellman. Digital projection systems based on LCOS. *Proc. SPIE*, **4458**, 226–229, 2001 [doi: 10.1117/12.448252].
[128] N. Mohon and A. Rodemann. Laser speckle for determining ametropia and accomodation response of the eye. *Appl. Opt.*, **12**:783–787, 1973.
[129] M.N. Morris, J. Millerd, N. Brock, J. Hayes, and B. Saif. Dynamic phase-shifting electronic speckle pattern interferometer. *Proc. SPIE*, **5869**: 58691B, 2005 [doi: 10.1117/12.448252].
[130] B. Moslehi, J.W. Goodman, and E.G. Rawson. Bandwidth estimation for multimode optical fibers using the frequency correlation function of speckle patterns. *Appl. Opt.*, **22**:995–999, 1983.
[131] P.K. Murphy, J.P. Allebach, and N.C. Gallagher. Effect of optical aberrations on laser speckle. *J. Opt. Soc. Am. A*, **3**:215–222, 1986.
[132] P. Nisenson. Speckle imaging with the PAPA detector and the Knox-Thompson algorithm. In D.M. Alloin and J.M. Mariotti, editors, *Diffraction-Limited Imaging*, pages 157–169. Kluwer Academic Publshers, Boston, Massachusetts, 1989.
[133] O. Noordman, A. Tychkov, J. Baselmans, J. Tsacoyeanes, G. Politi, M. Patra, V. Blahnik, and M. Maul. Speckle in optical lithography and its influence on linewidth roughness. *J. Micro/Nanolith. MEMS MOEMS*, **8**:043002–1, 2009 [doi: 10.1117/1.3256131].
[134] J.F. Nye and M.V. Berry. Dislocations in wave trains. *Proc. Roy. Soc. Lond.*, A **366**:165–190, 1974.
[135] E. Ochoa and J.W. Goodman. Statistical properties of ray directions in a monochromatic speckle pattern. *J. Opt. Soc. Am.*, **73**:943–949, 1983.
[136] K.A. O'Donnell. The statistics of doubly scattered light. *J. Opt. Soc. Am.*, **72**:1459–1463, 1982.

[137] J. Ohtsubo and T. Asakura. Statistical properties of speckle intensity variations in the diffraction field under illumination of coherent light. *Optics Commun.*, **14**:30, 1975.
[138] B.M. Oliver. Sparkling spots and random diffraction. *Proc. IEEE*, **51**:220, 1963.
[139] G.R. Osche. *Optical Detection Theory for Laser Applications*. John Wiley & Sons, Inc., New York, 2002.
[140] G.C. Papen and G.M. Murphy. Modal noise in multimide fibers under restricted launch conditions. *J. Lightwave Tech.*, **17**:817–822, 1999.
[141] A. Papoulis. *Probability, Random Variables and Stochastic Processes*. McGraw-Hill Book Co., New York, 1965.
[142] G. Parry. Speckle patterns in partially coherent light. In J.C. Dainty, editor, *Laser Speckle and Related Phenomena*, volume 9 of *Topics in Applied Physics*, pages 77–122. Springer-Verlag, 2nd edition, 1984.
[143] H.M. Pedersen. On the contrast of polychromatic speckle patterns and its dependence on surface roughness. *Optica Acta*, **22**:15–24, 1975.
[144] H.M. Pedersen. Theory of speckle dependence on surface roughness. *J. Opt. Soc. Am.*, **66**:1204–1210, 1976.
[145] Y. Piederrièrre, J. Cariou, Y. Guern, B. LeJeune, G. LeBrun, and J. Lotrian. Scattering through fluids: Speckle size measurement and Monte Carlo simulations close to and into multiple scattering. *Optics Express*, **12**:176–188, 2004.
[146] P.K. Rastogi, editor. *Digital Speckle Pattern Interferometry and Related Techniques*. John Wiley & Sons, Ltd., New York, 2001.
[147] E.G. Rawson, J.W. Goodman, and R.E. Norton. Frequency dependence of modal noise in multimode optical fibers. *J. Opt. Soc. Am.*, **70**:968–976, 1980.
[148] Lord Rayleigh. On the problem of random vibrations and of random flights in one, two and three dimensions. *Phil. Mag.*, **37**:321–397, 1919.
[149] B. Redding and H. Cao. Using a multimode fiber as a high-resolution, low-loss spectrometer. *Optics Lett.*, **37**:3384–3386, 2012.
[150] B. Redding, S.M. Poppoff, and H. Cao. All-fiber spectrometer based on speckle pattern reconstruction. *Optics Express*, **21**:6584–6600, 2013.
[151] W.T. Rhodes and J.W. Goodman. Interferometric technique for recording and restoring images degraded by unknown aberrations. *J. Opt. Soc. Am.*, **63**:647–657, 1973.
[152] S.O. Rice. Mathematical analysis of random noise. In N. Wax, editor, *Selected Papers on Noise and Stochastic Processes*, pages 133–294. Dover Press, New York, 1954.
[153] J.D. Rigden and E.I. Gordon. The granularity of scattered optical maser light. *Proc. IRE*, **50**:2367, 1962.

[154] D.W. Robinson. Phase unwrapping methods. In D.W. Robinson and G.T. Reid, editors, *Interferogram Analysis*, pages 194–229. CRC Press, Boca Raton, Florida, 1993.
[155] F. Roddier. The effects of atmospheric turbulence in optical astronomy. In E. Wolf, editor, *Progress in Optics*, Volume 19, Chapter V, pages 281–376. Elsevier North-Holland, Inc., New York, 1981.
[156] F. Roddier. Triple correlation as a phase closure technique. *Optics Commun.*, **60**:145–148, 1986.
[157] M.C. Roggemann and B. Welsh. *Imaging Through Turbulence*. CRC Press, Boca Raton, Florida, 1996.
[158] C. Rydberg, J. Bengtsson, and T. Sandstrom. Dynamic laser speckle as a detrimental phenomenon in optical projection lithography. *J. Microlith. Microfab. Microsyst.*, **5**:0333004, 2006 [doi: 10.1117/12.597748].
[159] B.E.A. Saleh and M.C. Teich. *Fundamentals of Photonics*. John Wiley & Sons, Inc., New York, 3rd edition, 2019.
[160] T. Sandstrom, C. Rydberg, and J. Bengtsson. Dynamic laser speckle in optical projection lithography: Causes, effects on CDU and LER, and possible remedies. *Proc. SPIE*, **5754**, 274–284, 2005 [doi: 10.1117/12.597748].
[161] J.M. Schmitt. Array detection for speckle reduction in optical coherence microscopy. *Phys. Med. Biol.*, **42**:1427–1439, 1997.
[162] J.M. Schmitt. Optical coherence tomography (OCT): A review. *IEEE J. Selected Topics in Quantum Electronics*, **5**:1205–1215, 1999.
[163] A.A. Scribot. First-order probability density functions of speckle measured with a finite aperture. *Optics Commun.*, **11**:238–295, 1974.
[164] J.M. Senior. *Optical Fiber Communications*. Pearson Education, Upper Saddle River, New Jersey, 2nd edition, 1992.
[165] N. Shvartsman and I. Freund. Wave-field phase singularities: Near-neighbor correlations and anticorrelations. *J. Opt. Soc. Am. A*, **11**:2710–2718, 1994.
[166] R.K. Singh, D.N. Naik, Y. Miyamoto, and M. Takeda. Characterization of spatial polarization fluctuations in scattered field. *J. Optics*, **16**:105010, 2014.
[167] R.S. Sirohi, editor. *Speckle Metrology*. Marcel Dekker, New York, 1993.
[168] A. Sivaramakrisnan, P.E. Hodge, R.B. Makidon, M.D. Perrin, J.P. Lloyd, E.E. Bloemhof, and B.R. Oppenheimer. The adaptive optics point-spread function at moderate and high strehl ratios. *Proc. SPIE*, **4860**, 161–170, 2003 [doi: 10.1117/12.457668].
[169] M. Slack. The probability distribution of sinusoidal oscillations combined in random phase. *J.I.E.E.*, **93**, Part III:76–86, 1946.
[170] D. Slepian. Prolate spheroidal wave functions, Fourier analysis and uncertainty —I. *Bell Syst. Tech. J.*, **40**:43–63, 1961.

[171] D. Slepian. Prolate spheroidal wave functions, Fourier analysis and uncertainty —II. *B. Syst. Tech. J.*, **40**:65–84, 1961.
[172] R.A. Sprague. Surface roughness measurement using white light speckle. *Appl. Opt.*, **11**:2811–2816, 1972.
[173] H. Stark and J.W. Woods. *Probability, Random Processes and Estimation Theory for Engineers*. Prentice-Hall, Englewood Cliffs, New Jersey, 1986.
[174] P.F. Steeger, T. Asakura, K. Zocha, and A.F. Fercher. Statistics of the Stokes parameters in speckle fields. *J. Opt. Soc. Am. A*, **1**:677–682, 1984.
[175] W. Steinchen and L. Yang. *Digital Shearography: Theory and Applications of Digital Speckle Pattern Shearing Interferometry*. SPIE Press, Bellingham, Washington, 2003 [doi: 10.1117/12.597748].
[176] K.A. Stetson. Analysis of speckle photographs by subtracting phase functions of digital Fourier transforms. In *Optical Measurements, Modeling and Metrology*, volume **5**, pages 199–207. Society of Experimental Mechanics, 2011.
[177] G. Strang. *Linear Algebra and its Applications*. Academic Press, New York, p. 224, 1976.
[178] J.W. Strohbehn and S. Clifford. Polarization and angle-of-arrival fluctuations for a plane wave propagated through a turbulent medium. *IEEE Trans. Ant. Prop.*, **AP-15**:416–421, 1967.
[179] Y. Surrel. Customized phase shift algorithms. In P. Rastogi and D. Inaudi, editors, *Trends in Optical Non-Destructive Testing and Inspection*, Chapter 5, pages 71–83. Elsevier, Amsterdam, 2000.
[180] H. Takajo and T. Takahashi. Least-squares phase estimation from the phase difference. *J. Opt. Soc. Am. A*, **5**:416–425, 1988.
[181] M. Takeda. Recent progress in phase-unwrapping techniques. *Proc. SPIE*, **2782**, 334–343, 1996 [doi: 10.1117/12.250761].
[182] M. Takeda, H. Ina, and S. Kobayashi. Fourier-transform method for fringe-pattern analysis for computer-based topography and interferometry. *J. Opt. Soc. Am.*, **72**:156–160, 1982.
[183] M. Takeda, W. Wang, and S.G. Hanson. Polarization speckle and generalized Stokes vector wave: a review. *Proc. SPIE*, **7387**:73870V, 2010 [doi: 10.1117/12.870928].
[184] V.I. Tatarski. *Wave Propagation in a Turbulent Medium*. McGraw-Hill Book Co., New York, 1961.
[185] C.A. Thompson, K.J. Webb, and A.M. Weiner. Diffusive media characterization with laser speckle. *Appl. Opt.*, **36**:3726–3734, 1997.
[186] C.A. Thompson, K.J. Webb, and A.M. Weiner. Imaging in scattering media by use of laser speckle. *J. Opt. Soc. Am. A*, **14**:2269–2277, 1997.
[187] H.J. Tiziani. Application of speckling for in-plane vibration analysis. *Opt. Acta*, **18**:891–902, 1971.

[188] H.J. Tiziani. A study of the use of laser speckle to measure small tilts of optically rough surfaces accurately. *Optics Commun.*, **5**:271–274, 1972.
[189] Y. Tremblay, B.S. Kawasaki, and K.O. Hill. Modal noise in optical fibers: Open and closed speckle pattern regimes. *Appl. Opt.*, **20**:1652–1655, 1981.
[190] J.I. Trisnadi. Speckle contrast reduction in laser projection displays. *Proc. SPIE*, **4657**, 131–137, 2002 [doi: 10.1117/12.463781].
[191] J.I. Trisnadi. Hadamard speckle contrast reduction. *Optics Lett.*, **29**:11–13, 2004.
[192] R.F. van Ligten. Speckle reduction by simulation of partially coherent object illumination in holography. *Appl. Opt.*, **12**:255–265, 1973.
[193] B.A. Wandell. *Foundations of Vision*. Sinauer Associates Inc., Sunderland, Massachusetts, 1995.
[194] L. Wang, T. Tschudi, T. Halldórsson, and P.R. Pétursson. Speckle reduction in laser projection systems by diffractive optical elements. *Appl. Opt.*, **37**:1770–1775, 1998.
[195] W. Wang, S.G. Hanson, and M. Takeda. Statistics of polarization speckle: theory versus experiment. *Proc. SPIE*, **7388**:738803, 2009 [doi: 10.1117/12.855761].
[196] T.R. Watts, K.I. Hopcroft, and T.R. Faulkner. Single measurements on probability density functions and their use in non-Gaussian light scattering. *J. Phys. A: Math. Gen.*, **29**:7501–7517, 1996.
[197] M.A. Webster, K.J. Webb, and A.M. Weiner. Temporal response of a random medium from third-order laser speckle frequency correlations. *Phys. Rev. Lett.*, **88**:033901, 2002.
[198] M.A. Webster, K.J. Webb, A.M. Weiner, J. Xu, and H. Cao. Temporal response of a random medium from speckle intensity frequency correlations. *J. Opt. Soc. Am. A*, **20**:2057–2070, 2003.
[199] A.J. Weierholt, E.G. Rawson, and J.W. Goodman. Frequency-correlation properties of optical waveguide intensity patterns. *J. Opt. Soc. Am. A*, **1**:201–205, 1984.
[200] W.T. Welford. Laser speckle and surface roughness. *Contemporary Physics*, **21**:401–412, 1980.
[201] G. Westheimer. The eye as an optical instrument. In J. Thomas et al., editor, *Handbook of Perception*, Chapter 4, pages 4.1–4.20. John Wiley & Sons, 1986.
[202] D.R. Williams, D.H. Brainard, M.J. McMahon, and R. Navarro. Double-pass and interferometric measures of the optical quality of the eye. *J. Opt. Soc. Am. A*, **11**:3123–3135, 1994.
[203] E. Wolf. A macroscopic theory of interference and diffraction of light from finite sources, I: Fields with a narrow spectral range. *Proc. Roy. Soc.*, **A225**:96–111, 1954.
[204] E. Wolf. Optics in terms of observable quantities. *Nuovo Cimento*, **12**:884–888, 1954.

[205] E. Wolf. Coherence properties of partially polarized electromagnetic radiation. *Nuovo Cimento*, **13**:1165–1181, 1959.
[206] H. Yamada, K. Moriyasu, H. Sato, H. Hatanaka, and K. Yamamoto. Theoretical calculation and experimental investigation of speckle reduction by multiple wavelength lasers in a laser projector with different angle diversities. *J. Opt.*, **21**(045602):1–9, 2019.
[207] I. Yamaguchi. Speckle displacement and decorrelation—theory and applications. In P. Rastogi and D. Inaudi, editors, *Trends in Optical Non-Destructive Testing and Inspection*, Chapter 11, pages 151–170. Elsevier, Amsterdam, 2000.
[208] L. Yang and X. Xie. *Digital Shearography: New Developments and Applications*. SPIE Press, Bellingham, Washington, 2016 [doi: 10.1117.3.2235244].
[209] M. Young, B. Faulkner, and J. Cole. Resolution in optical systems using coherent illumination. *J. Opt. Soc. Am.*, **60**:137–139, 1970.
[210] N. Youssef, T. Munakata, and M. Takeda. Rice probability functions for level-crossing intervals of speckle intensity fields. *Optics Commun.*, **123**:55–62, 1996.
[211] B.Y. Zel'dovich, A.V. Mamaev, and V.V. Shkunov. *Speckle-Wave Interactions in Application to Holography and Nonlinear Optics*. CRC Press, Boca Raton, Florida, 1995.
[212] F. Zernike. The concept of degree of coherence and its application to optical problems. *Physica*, **5**:785–795, 1938.
[213] C. Zhang, S. Horder, T.K. Lee, and W. Wang. Development of polarization speckle based on random polarization phasor sum. *J. Opt. Soc. Am. A*, **36**:277–282, 2019.

Index

A

adaptive optics, 273, 275, 349
Al-Habash, M.A., 64
amplitude point-spread function, 179
Andrews, L.C., 64
angle dependence of speckle, 403–410
angle diversity
  for speckle suppression, 188
  in holography, 229–230
  in projection displays, 245, 249–250
angle of illumination,
  change, effects of, 156–158
angularly separated sources, 249
aperture masks for suppressing speckle
  in holography,
  in OCT, 239
Archibald, E., 321
Asakura, T., 353
atmospheric coherence diameter, 363, 366
atmospheric OTF, intuitive explanation, 366
atmospheric turbulence, 359
autocorrelation function of speckle
  axial, 138–141
  free-space geometry, 129–137
  imaging geometry, 137–138
average distribution of path lengths in volume scattering, 142
average OTFs in the presence of turbulence, 362–364
Avignon, T., 2

B

back-projection display, 240
Barakat, R., 87, 102, 105, 108
Barton, J.K., 238
Bayes, rule, 71, 73, 417
beam ratio in holography, 31, 33, 34
Beckman, P., 353
beta density function, 40–41, 285
  compared with a gamma density function, 285
  derivation of, 417–419
beta-distributed step lengths, 40
binary star separation measurement, 372
bispectrum technique in astronomy, 379–380
  information retrievable from, 381–382
  transfer function, 380–381
bivariate Gaussian density function, 69–71
Blackman, N., 395
boiling of speckle, 224
Bose–Einstein distribution
  for photoevents, 299
boundary conditions, reflection, 176
boxcar approximation, 100
Briers, J.D., 352

bright-field imaging, 273, 275–276
  smooth surface, 275
Bryanston-Cross, P.J., 347
Burch, J.M., 321
Butters, J.N., 338

C
cascade of a moving diffuser and a fixed diffuser, 186
carrier frequency in holography, 228
cause of speckle, 3–4
central limit theorem, 10, 21, 51, 107, 327
changes of speckle with
  angle of incidence change, 188
  wavelength change, 188
changes of illumination angle and wavelength, simultaneous, 161
changing diffuser, 177, 208, 245
  for speckle suppression, 252–254
  projected onto the screen, 252–254
characteristic function, 18, 47, 50, 101, 104, 214
  definition, 18
  of intensity, 29
  of negative-exponential distribution, 29
  of phase differences, 152
characteristic impedance, 26
Chavel, P., 2
chi-squared statistics of image intensity, 277
chromatic aberrations, 272
circular complex Gaussian random process, 65, 193
circular complex Gaussian random variables, 67
circular complex Gaussian statistics, 30, 53, 188, 388
circularly polarized light, 82, 92
cladding modes, 283–284
coherence
  area, 208, 210, 216, 265
  concepts in optics, 205–208
  diameter, atmospheric, 363
  of excimer lasers, 267
  reduction, 205
  temporal and spatial, 207
  time, 209
coherence tomography
  analysis of, 232–236
  overview of, 231–232
  speckle in, 236–238
coherency matrix, 54–55
coherent detection in optical radar, 294
color gamut, 240
complex coherence factor, 206, 208
complex correlation coefficient, 69, 131
complex degree of coherence, 78, 206
complex degree of temporal coherence, 207
complex Gaussian random variable, circular, 10–11
complex signal representation, 6
completely polarized speckle, 110
compound speckle statistics, 59–64
compounding speckle suppression techniques, 222
Condie, M., 102, 108
conditional density function of compound speckle, 59
conditions under which speckle size is independent of distance, 147–149
constant phasor plus a random phasor sum, 30–34
constrained speckle, 283–287
  statistics of, 417–419
contrast of the sum intensity, 49
convolution theorem, 47
correlation area of speckle intensity, 97

correlation area of the scattered wave amplitude, 142–143
correlation matrix, 84
counting functional, 119–121
covariance
  definition, 22
  matrix (*see* autocovariance matrix)
  of intensity, 76
Creath, K., 345
critical angle, 288
cross-spectrum
  object information retrievable from, 376
  technique, 374–375
  transfer function, 375–376
cumulative probability of speckled speckle, 62

D
Dainty, C.J., 3, 102
dark-field imaging, 273, 277–278
  smooth surface, 277
degree of coherence (*see* complex degree of coherence)
degree of polarization, 84–86, 89, 92
degrees of freedom, 98–99, 110, 211, 222, 269
Dennis, M., 122
density function for the phase difference, 74
density of phase vortices, 125–128
depolarization of speckle, 176
depth resolution, 236
derivatives of speckle intensity, 110, 116–119, 399–400
derivatives of speckle phase, 119, 398–389
  ray directions in a speckle pattern, 113–116
destroying spatial coherence using temporal coherence, 221–222
detection probability, 301
detection statistics
  direct detection, 300–301
  heterodyne detection, 305–308
detection techniques, comparison of, 315–317
deterministic autocorrelation function, 96
difference of speckle intensities, 87, 336, 339, 342
difference of speckle phases, 74–76
diffuse target, 294, 301, 307, 312
diffusely scattered component, 30
diffuser with deterministic codes, 260–261
diffusion equation, 142, 172
digital light projection (DLP) device, 241–242
discrete Fourier transform, 4–5
dispersion, 233
displacement, in-plane, 323–324
displacement, out-of-plane, 323, 337, 343
Doppler filter, 310
double diffuser, 177
Durana, G., 280
dynamic diffuser projected onto a rough screen, 411–415

E
Earth's atmosphere, 59
Ebeling, K.J., 117, 120
edge position fluctuations, 270–272
effective area in heterodyne detection, 313–314, 316
effective spot size, 147–148
effects of pupil size on contrast, 167–170
effects of surface roughness on contrast, 167–170
eigenequation, 105
eigenfunctions, 103–104

eigenvalues, 84, 86, 105, 108
of a matrix, 106
of the coherency matrix, 55
Elbaum, M., 382
electric field, 25
electronic speckle pattern interferometry (ESPI), 333, 337–340
elliptically polarized light, 82
Engineered Diffusers™, 264
Ennos, A.E., 321
Epworth, R.E., 281
equivalent area, 135, 136
error function, 98
definition, 16
excimer laser
coherence properties, 267
parameters, 267
exit pupil, 138
expansion/contraction of speckle pattern with wavelength change, 160
exponential integral, 155
exponential probability density, 28
exposure fluctuations, 270–272
eye (human)
damage, 29
line-spread function, 258
point-spread function, 258
speckle in, 223–226

F

F-number, 140
false alarm error, 300
false alarm probability, 300
far field, 132
farsighted eye, speckle movement, 223
fiber-based interferometer, 232
Fienup, J.R., 384
finite number of equal-length phasors, 34–37
foreshortening of height variations, 150
Fourier–Bessel transform, 19
Fourier transform, definition, 5
Fourier transform, method for phase estimation, 344–345
Fourier transform, method for phase unwrapping, 344–345
fractional pupil factor, 275–276
frequency covariance function
of multimode fiber speckle, 290–291
relation to transfer function of a fiber, 291–293
Fresnel diffraction, 132
Fresnel integral, 130, 140, 290
Freund, I., 122
Fried, D.L., 363
Fried parameter, 363
fringe contrast, 352
fringe pattern, extracting phase from, 343–349
fringe pattern period, 324
Françon, M., 3
frequency covariance functions
of speckle in a multimode fiber, 290–291
relation to the transfer function, 291–293
frequency decorrelation of speckle in a fiber, 287
frequency diversity in OCT, 238–239
Fresnel diffraction equation, 188
Fresnel reflection coefficients, 176
front-projection display, 240
full-frame display, 240–243, 247
fully developed speckle, 28

G

gamma density function, 50, 61, 101–102, 105
Gaussian complex random variable, non-circular, 23
Gaussian density function, 51

Gaussian hypergeometric function, 76
Gaussian pulse, 269
Gaussian random process, 208
Gaussian spectrum, 237, 355
Gaussian statistics, multivariate, 65–68
Gaussian surface-height fluctuations, 198
generalized van Cittert–Zernike theorem, 131, 145, 153, 275, 328, 356
Gezari, D.Y., 370
Ghiglia, D.C., 347
Giglio, M., 147
Goldfischer, L.I., 129
Goodman, J.W., 100, 113, 129
graded-index fiber, 280
gradient of object phase spectrum, 378
gradient of speckle intensity, 116
gradient of speckle phase, 114
grating light valve (GLV), 243
grazing incidence, 188
Gregory, D.A., 333
Groh, G., 321

H
Hadamard phase mask, 261
Hankel transform, 19, 197
HDTV 108i, 241
Hermitian matrix, 54–55
heterodyne radar system, 305–308
hologram recording, 227
holography, 30, 226–231
  principles of, 226–228
  speckle suppression in, 228–229
human observer, effects of speckle on, 175
hypermetropic eye, 224–225

I
image of a "smooth" surface, speckle in, 272–273
imaging through the atmosphere, 359–361
Ina, H., 344
incoherent detection in optical radar, 293
independent speckle patterns, 50
infinite depth of focus, 240
infinite time average, 205
in-plane displacement, 323
instantaneous intensity, 27
integral equation, 103
integrated intensity, 94, 100, 104
integrated speckle, 95–99
  approximate density function, 100–102
  contrast, 99
  exact density function, 102–105
  statistics of, 94
  temporal, 95
intensity correlation area, 97
intensity definition, 25–27
intensity fluctuations, atmospherically induced, 59
intensity point-spread function of the eye, 258
intensity transmission vs. exposure characteristic, 335
interlaced displays, 241

J
Jakeman, E., 60
joint density function
  of speckle amplitude, 71–73
  of speckle intensity, 76–78
  of speckle phase, 73–76, 114
Jones matrix, 79, 84, 91
Joyeux, D., 187
Judge, T.R., 347

K
K-distributed step lengths, 39–40
K-distributions, 39, 60–61
Karhunen–Loève expansion, 102

Kluyver–Pearson formula, 34, 37, 43
known phasor plus a random phasor sum, 13–16, 30–34
Knox–Thompson technique (*see* cross-spectrum)
Kobayashi, S., 344
Köhler's illumination, 215, 217
Kolmogorov, A.N., 360
Kolmogorov statistics, 373
Kolmogorov turbulence, 360
Korff, D., 373
Kowalczyk, M., 119

L
Labeyrie, A., 370
Laplacian probability density function, 87–88, 90, 117
laser pumping, 240
laser radar, 293
LCOS spatial light modulator, 242
Leendertz, J.A., 333
Lehmann, M., 3
lens aberrations, lack of effects on speckle, 138
lens pupil as an effective scattering source, 138
level crossings of speckle patterns, 119–122,
level-crossing problem, 119
level-crossing rate of speckle, 119–121
line-edge fluctuations in microlithography, 270–272
line-scan display, 240, 243–244, 247, 261–262
line-spread function of the eye, 258
linear scattering coefficient, 173
linear transformations of speckle fields, 385–388
linearly polarized speckle pattern, 78
  bivariate statistic of, 78–79
linearly polarized wave, 26
liquid crystal, 242
liquid crystal on silicon (LCOS), 241–242
lithium niobate doubling element, 240
local oscillator, 294, 305–310, 315–318, 294, 305–310
Løkberg, O.J., 338
long-exposure OTF, 362–364
long-exposure PSF in the presence of turbulence, 361–362,
Lowenthal, S., 187

M
M-dimensional Gaussian probability density function, 66
magnetic field, 25
Mamaev, A., 3
Mandel, L., 100
Marcum Q-functions, 34, 311
Martienssen, W., 230
Mathematica programs for stimulating speckle, 421–424
McKechnie, T.S., 230
memory effect, 157
meridional rays, 288–289
metallic surfaces, 141
methods for suppressing speckle, 175
Michelson interferometer, 232
micro-displays, 263
microlithography, speckle in, 266–272
micro-structured screen, 264–266
Middleton, D., 119
minimum size of the speckle field correlation area, 148
mirror angle centering of speckle, 156–157
modal noise in fibers, 281–283
  causes of, 279
  frequency dependence of, 287–289

modal time delays in a multimode fiber, 287–289
mode-coupling effects on modal time delays, 289
modes, number of
in graded-index fiber, 281
in step-index fiber, 280
moment theorem
real Gaussian variables, 66
complex Gaussian variables, 67
Morris, M.K., 264
motion of scattering surface, out-of-focus imaging, 166
moving diffuser (*see* also changing diffuser)
and coherence reduction, 208–210
moving screen, 244, 246
multidimensional Gaussian distribution, 111
multimode fibers, speckle in, 279–281
multiple scattering, 79, 142, 149, 171
multiple specklegram windows, 331–332
multiplexed images in thick holograms, 230–231
multivariate Gaussian statistics, 65–66
mutual coherence function, 205, 208
mutual intensity, 206
mutually incoherent point sources, 217
myopic eye, 225

N

near field, 132
nearsighted eye, speckle movement, 223
negative-binomial distribution of photoevents, 299–300
negative-binomial signal in Poisson noise, 304–306
negative-exponential density, moments of, 28
negative vortex, 124–125, 348
Nisenson, P., 379
non-circular statistics of speckle, 166, 170
nonimaging applications of speckle, 279
nonlaser sources in projection displays, 262–264
normalized correlation, 53, 98
normalized covariance function of speckle intensity, 135
number of degrees of freedom, 98, 99
numerical aperture, 217
of optical fiber, 280

O

object rotation, 332–333
oblique illumination, 159
Ochoa, E., 113
ophthalmic testing with speckle, 226
optical coherence tomography, 231
analysis, 232–236
imaging, 231–232
speckle suppression in, 236–240
optical path length probability function, 172
optical projection displays, (*see* projection displays)
optical radar, speckle effects in, 292–318
optical radar, suppression of speckle, 318
optical singularity, 122
optical speckle, first-order statistics, 25–27
optical transfer function, 220
optical phase vortex, 122
origins of speckle, 1–3
orthogonal functions, 6, 103
orthogonal phase codes, 245

orthonormal series, 102
out-of-plane motion, 337

P
paraxial waves, 26
Parry, G., 190
Parseval's theorem, 165, 214
partial derivative of the phase, 113
partial fraction expansion, 50–51
partially correlated speckle patterns, 53
partially developed speckle, 55–59
  contrast of, 57, 389–393
partially developed speckle intensity and phase, 389–393
partially polarized light, 79
partially polarized speckle, 79, 108
  integration of, 108–110
partially polarized waves, 26, 84, 86
phase aberration function, 366
phase ambiguity, 379
phase closure principle, 382,
phase derivative statistics, 113–116
phase difference
  standard deviation of, 75
  statistics, 152
phase function from phase differences, 379
phase gradient, 113, 348
phase in the vicinity of a zero of intensity, 123–125
phase map dependence on path, 347
phase maps from fringe patterns, 343–344
phase retrieval, 384
phase-shifting speckle interferometry, 345–346
phase statistics, 30
  nonuniform, 15,16
  uniform, 12
phase unwrapping, 345
phase-unwrapping problem, 374
phase vortex, 348
Phillips, R.L., 64
photocounting receiver, 293
photoresist, 268
photoresist threshold, 270–271
piezoelectric transducer (PZT), 346
Planck's constant, 298
Poincaré sphere, 80–82
point-spread function, 203
point-spread functions with atmospheric turbulence, 361, 362
Poisson-distributed photo events, 299
Poisson-distributed signal in Poisson noise, 301–302
Poisson probability distribution, 44
polarized wave, 85
polarization, 69
  left or right circular, 80
polarization analyzer, 79, 177
polarization diversity for reducing speckle contrast, 176–177, 222, 244
  in OCT, 238
  in projection displays, 245–246
polarization ellipse, 79–80
polarization properties of coherent light, 79
polarization speckle, 83, 93–94
  simulation, 94
polarization state, random, 93
polarization switching, 177
positive-slope crossing, 121
positive vortex, 124
power spectral density, 129, 207, 211
  definition, 132
  of speckle intensity, 129, 132
  of speckle intensity, free space, 129
  of speckle intensity, imaging, 137
Poynting vector, 25–26
Pritt, M.D., 347

probability density function of integrated speckle
approximate result, 100–102
"exact" result, 102–105
probability density function of S_3, 92–93
probability density function of the magnitude of the phase gradient, 115
probability transformation, 34
projection display, 240–241, 248
speckle in, 240
speckle suppression in, 244–266
projection optics, 241–244
overdesign of, 245, 250–251
overfill of, 252–254
pulse-width modulation, 242
pupil of the eye, 224
pupil size, effects of varying, 167
Pusey, P.N., 60

Q
quantum efficiency, 298

R
radiation modes, 283–284
random-length phasors, 37–42
random number of phasors, 42–45
random phase diffusers, 411–414
random phasor plus known phasor, 13–16
random phasor sum, 7
sums of, 16
with finite equal-length components, 18–20
random variables, transformations of, 27
random walk, 4, 56
with a finite number of steps, 18–20
with a large number of steps, 10–13
raster-scan display, 240, 244, 247, 261–262
Rastogi, P.K., 340
ray directions in step-index fiber, 288
Rayleigh density, 14, 71
Rayleigh-distributed amplitude, 11
Rayleigh-distributed step lengths, 38–39
Rayleigh distribution, 11, 17, 368
Rayleigh, Lord, 18
Rayleigh probability density function, 11
moments of, 12
Rayleigh statistics, 11, 12
reduced scattering coefficient, 173
reduced source coherence, 211
reduction of speckle contrast
due to angle of illumination change, 190
due to wavelength change, 190
reference wave in holography, 226
reflective wave, correlation area of, 151–152
refractive-index inhomogeneities, 359
refractive-index structure function, 360
relation between scattered wave and surface heights, 149–156
resolution and contrast sensitivity, effects of speckle on, 175
Rice, S.O., 100, 119
Rician density function, 14–15
modified, 31–32, 78
Rician phasor, 310
Robinson, D.W., 347
Roddier, F., 382
Roggemann, M.C., 375
rotation matrix, 88–89, 90
rotation measurement, 332
rotation of the projection screen, 247
rough object, 186–188
RPC Photonics, Inc., 264

S
scatterer microstructure, dependence of speckle on, 149
scattering spot shape, 188, 400–401
scattering vector, 191–192
Schmidt, J.M., 231
Scribot, A.A., 102, 107, 108
semiclassical theory of photon detection, 297
  assumptions underlying, 297
semiconductor lasers, 240
semiconductor microlithography, 267
shadowing, 149, 189
shaped delta-function sheet, 71, 76
shearing interferometer, 340–343
Shkunov, V., 2
shot noise, 310, 312–313
short-exposure atmospheric MTF, 365
short-exposure atmospheric OTF
  simulation, 369–370
  squared modulus of, 368
  statistical properties of, 364–370
short-exposure PSF in the presence of turbulence, 361–362, 365
sign principle of optical vortices, 124–125
signal-to-noise ratio in coherent detection, 309–315
signal-to-noise ratio of speckle, 28–29, 32, 36, 51–52
silicon micro-mirror array, 242
simple coherent receiver, output from, 308–309
simultaneous changes of illumination angle and wavelength, 161
sinc correlation function, 102
skew rays in multimode fibers, 288
Slack, M., 18
Slepian, D., 105, 106
slit aperture, 102
smooth object, 184–186
Snell's law, 200
Sommer, F.G., 3
spatial array of sources, 221
spatial coherence, 207
spatial coherence reduction, 215, 221
  by time delay, 221
  with circular incoherent source, 215
  with two incoherent point sources, 217
spatial correlation of optical radar returns, 294
spatial density of vortices, 125
spatial integration, 95–98
spatial light modulator, 241
spatial structure of speckle, 129
spatially incoherent light, 207
specially designed screens, 245, 264–266
speckle
  amplitude, phase, and intensity, multidimensional statistics, 68–69
  and optical radars, 293
  and polarization, 79
  at low light levels, 297–300
  in holography, 226
  in microlithography 266
  in multimode fibers, 417
  in OCT, 231
  in the eye, 223–226
speckle contrast, 28–29, 32, 36–37, 38, 49, 51–52, 57
  and surface roughness, 168
  beta-distributed step lengths, 41
  dependence on pupil size and surface-height variance, 167
  K-distributed step lengths, 39
  partially developed speckle, 55–59
  with two diffusers, 177

speckle correlography, 382–384
  geometry, 382
speckle decorrelation
  with angle change, 188, 198
  with wavelength change, 188, 193
speckle interferometry, 333, 346
  astronomical, 370–374
  in metrology, 321
speckle pattern shift, 157
speckle photography, 321
  motion limitations, 330–331
  simulation, 325
speckle properties in depth, 138
speckle reduction by time averaging, 177–178
speckle reduction in optical radar, 318
speckle resulting from volume scattering, 170–173
speckle shearing interferometry, 340–343
speckle simulation, 421–423
speckle size in depth, 138
speckle suppression, 175
  by spatial coherence reduction, 215
  by temporal coherence reduction, 210
  in holography, 228
  in projection displays, 244
speckle transfer function, 372
  exact calculation, 373
speckle translation with illumination angle change, 157
speckle with nonlaser sources, 262–264
speckled speckle, 59, 61
specklegram, 322–323, 326
  with multiple windows, 331–332
specular component, 30
specular components of transmittance, 180
specular target and coherent detection, 309
spectrometer based on speckle, 318–320
Spiller, S., 230
Spizzichino, A., 353
spontaneous emission, 262
square pupil function, 181
Stachnik, R.V., 370
statistics of the derivatives of intensity and phase, 395–401
Steinchen, W., 340
step-index fiber, 279–280
Stokes parameters, 81, 83, 93
  S_0, 83–86
  S_1, 87
  S_2, 87–89
  S_3, 87, 91–93
  statistics, 83–93
Stokes vector, 81
structure constant, 360
sum of N independent speckle intensities, 50–52
sums of random phasor sums, 16–17
sums of speckle patterns, 46–49
  correlated, 52–55
  independent, 46–49
  on an amplitude basis, 46
surface covariance area measurement, 353–354
  from the angular power spectrum, 356–357
surface-height correlation function, 131
surface-height fluctuation in surface scattering, 142, 151
surface-height fluctuations, random, 150
surface-height measurement, 353–354
  from two-angle decorrelation, 355–356
  with two-wavelength decorrelation, 354–355

surface-height standard deviation measurement from the angular power spectrum, 356–357
surface microstructure, effects of, 141, 149
surface roughness measurement, 352–353
surface scattering, 141, 157, 212
surface slope, 149
super-luminescent diode, 231
symmetry of speckle intensity for smooth surfaces, 274–275
synthetic-aperture radar imagery, 2, 3

T
Takeda, M., 344, 347
Tatarski, V.I., 359
Taylor, P.A., 349
temporal autocorrelation function, 179
temporal averaging with a moving diffuser, 177–183
temporal coherence reduction, 210–212
temporal degrees of freedom, 179, 269
temporal fringe pattern, 235
temporal impulse response, multiple scattering, 172
temporal integration of speckle, 98–100, 185
temporal speckle, 268
temporal statistics of polarized thermal light, 263
thermal light, 100, 262
tilt measurement, 332
time-averaged coherence, 208
time-varying hologram masks, 230
time-varying speckle, 98
Tiziani, H.J., 332
Tokarski, J.M.J., 321
tradeoff between speckle suppression and image brightness, 188
transformation of random variables, 27
translation of speckle with wavelength change, 159
transmission vs. exposure curve, 335
transverse displacement, 324
  limitations in speckle photography 330
  measurement of, 323
transverse normalized correlation functions, 141
triple correlation, 379
Trisnadi, J.I., 260, 261
tropopause, 361

U
ultrasound medical imagery, 2
uncorrelated expansion coefficients, 103
unitary linear transformation, 55
unpolarized speckle, 110
unpolarized wave, 26, 85

V
van Citter–Zernike theorem, 207, 208, 215, 263, 295
van Ligten, R.F., 230
vector level crossing rate of speckle intensity, 121
vibration measurement using speckle, 349–352
viewing screen, specially designed, 264
vignetting, 145
volume scattering, 141, 157, 170, 214, 248
vortex circulation, 124

vortex density
of fully developed speckle, 125–127
of fully developed speckle plus a coherent background, 127–128

W
wavefront dislocation, 122
wavelength change, 193–195, 158–161, 188
effects of, 156
wavelength dependence of speckle, 159, 403–410
wavelength diversity
for speckle suppression, 188
in holography, 229–230
in OCT, 238–239
in projection displays, 245, 248–249
wavelength of illumination, 191
Webb, K.J., 172
Welford, W.T., 230
Welsh, B. 375
Westheimer, G., 258
Wiener–Khinchin theorem, 207
Wolf, E., 205
wrapped phase, 155
wrapped phase function, 155

X
Xiang, S.H., 231

Y
Yang, L., 340
Yung, K.M., 231

Z
Zel'dovich, B., 3
Zernike, F., 137, 208
Zernike approximation, 137, 215
zeros of speckle intensity, 122–123
zeros of speckle patterns, optical vortices, 122–123
Zubia, J., 280



Joseph W. Goodman received an A.B. degree from Harvard and M.S and Ph.D. degrees from Stanford University. He joined the faculty of the Department of Electrical Engineering at Stanford in 1967, chaired the department from 1989 to 1996, and served as Senior Associate Dean of Engineering from 1996 until 1999. He retired from Stanford in January of 2001. Dr. Goodman is the author of *Introduction to Fourier Optics* (now in its fourth edition), *Statistical Optics* (now in its second edition), and *Speckle Phenomena in Optics*. He has received numerous awards from IEEE, ASEE, The Optical Society (OSA), and SPIE, including the highest awards given by the latter two societies. He was a cofounder of Optivision, Inc., Roberts and Company Publishers, and NanoPrecision Products, Inc., and was founding Chairman of the Board of ONI Systems. He is a member of the National Academy of Engineering, a Fellow of the American Academy of Arts and Sciences, and an Honorary Member of OSA.