

# Index

## A

absorption coefficient, 8, 68  
absorption cross section, 8  
activator, 94  
antibonding orbitals, 23

## B

$\beta$ -BaB<sub>2</sub>O<sub>4</sub>, 3  
BaY<sub>2</sub>F<sub>8</sub>, 55  
BBO, 3  
beam quality, 51, 146, 165  
birefringence, 43  
bonding orbitals, 23  
branching ratio, 77

## C

cascade emission, 57  
characteristics of lasers, generally, 7  
composite Yb:YAG laser rods, 145  
concentration quenching, 141  
confocal resonator, 50  
covalent bonding, 22  
critical separation, 96  
cross-relaxation, 113  
Cr-Tm interaction, 113  
crystals  
  binding, 18  
  structure of, 17  
  types, 18  
CTH system, 106–107  
  efficiencies, 112  
Czocharlski method, 27

## D

design of laser  
  material, 8–9  
  mechanical, 9  
diffusion of energy, 99  
diffusion-bonded endcaps, 134, 148  
diode array, 197  
diode bars, 197

diode-pumping  
  advantages and characteristics, 189–191  
  longitudinal pumping, 191–193  
  schemes, 158–160, 191  
  temperature control, 198–200  
  transverse pumping, 194–196  
diode types, 196–198  
dipole-dipole interaction, 95  
disk configuration, *see* thin disk pumping  
disordered (mixed) garnets, 33  
distribution coefficient, 27

## E

electric dipole, 1  
electric-quadrupole transitions, 79  
emission cross section, 8  
endcaps, 145  
end-pumping, 145  
energy acceptor, 77  
energy donor, 77  
energy-gap dependence, 82, 97  
energy-gap law, 83, 98  
energy migration, 95  
energy sensitization, 105  
energy transfer, 2, 93  
  models generally, 2  
  selective, 121  
  standard theory, 101  
  statistical model, 100–101  
Er:YVO<sub>4</sub>, 173  
exchange interaction, 96, 101  
excited state relaxation, 98  
extraordinary polarization, 48

## F

face pumping, 145  
fiber-coupled pumping, 151  
fiber coupling, 160  
fluorescence lifetime, 51  
folded-cavity geometry, 162  
forced electric dipole transition, 79

**G**

garnet crystal  
 chromium and neodymium-doped, 28–33  
 disordered (mixed), 33  
 properties generally, 26  
 structure and composition, 25  
 Gaussian lineshape, 73  
 $\text{Gd}_3\text{Ga}_5\text{O}_{12}$ , 25  
 GGG, 25  
 glass ceramics, 35

**H**

hollow lens duct, 145  
 holmium laser, 113, 125  
 advantages, 127  
 CW operation, 128–129  
 end-pumped, 130–135  
 pulsed operation, 130  
 side-pumped, 136  
 homogeneous broadening, 73  
 hopping model, 99  
 host materials, 13  
 host properties, 13–15  
 Ho-Tm back interaction, 117  
 Ho:YAG, 2  
 Ho:YVO<sub>4</sub>, 173

**I**

inhomogeneous broadening, 73  
 ionic bonding, 20

**K**

KTiOPO<sub>4</sub>, 3  
 KTP, 3

**L**

laser diode-pumped solid state laser (LDSSL), 157  
 LBO-LiB<sub>3</sub>O<sub>5</sub>, 5  
 Lennard-Jones potential, 19  
 lens duct, 134  
 lens-duct coupling, 160  
 LiNbO<sub>3</sub>, 3  
 longitudinal pumping, 145, 191–193  
 loop mechanism, 62  
 Lorentzian lineshape, 71

**M**

Madelung constant, 22  
 magnetic dipole, 1, 79  
 market for solid state lasers, 10  
 microlaser, 3, 141, 172  
 microparameter constant, 96  
 multiphonon decay rate, 80–87  
 temperature dependence of, 88–90

multiphoton excitations, 8  
 multiphonon relaxation (MPR), 79–88  
 multistripe array, 197

**N**

Nd:GdVO<sub>4</sub>, 174  
 Nd:YAG, 2  
 Nd:YAG ceramic laser, 38  
 Nd:YAlO<sub>3</sub> (YALO), 2  
 Nd:YLF, 2, 161–165  
 Nd:YVO<sub>4</sub>, *see* vanadate crystals  
 nonradiative decay rates, 8, 50, 77

**O**

optical parametric oscillation (OPO), 5  
 optical properties of laser materials, 7–8  
 ordinary polarization, 48  
 oscillator strength, 75

**P**

parity-allowed transitions, 79  
 phonon-assisted energy transfer, 77, 97  
 polarization  
 extraordinary, 48  
 ordinary, 48  
 properties of laser materials, 7  
 pumping schemes compared, 158–160

**Q**

Q-switching, 176  
 quantum defect, 141  
 quantum gap, 44  
 quantum jump, 67  
 quasi-three-level host, 144

**R**

radiative decay, 79  
 radiative energy transfer, 93  
 radiative quantum efficiency, 77  
 radiative rates, 8, 77  
 resonant energy transfer, 94  
 Russell-Saunders coupling, 11

**S**

second harmonic generation (SHG), 6  
 selective energy transfer, 121  
 sensitizer, 94  
 SFAP, 157  
 side-pumping, 145  
 single-stripe devices, 197  
 spontaneous emission, 73  
 standard theory of energy transfer, 101  
 statistical model of energy transfer, 100–101  
 stimulated absorption, 72  
 stimulated emission, 72  
 SVAP, 157

**T**

Tanabe-Sugano diagram, 36  
temperature dependence, 88–90, 108, 111  
thermal conductivity, 45  
thermal lensing, 43  
thermal load, 44  
thermal-shock parameter, 37  
thermoelectric cooler, 199  
thin disk lasers, 3  
thin disk pumping, 145  
threshold power, 191  
Ti:sapphire laser, 3  
Tm<sup>3+</sup> concentration, effect of, 110  
Tm-Ho interaction, 116  
Tm:Ho:YAP, 182  
Tm-Tm interaction, 114  
Tm:YAP, 182  
Tm:YVO<sub>4</sub>, 173  
transverse pumping, 14, 194–196

**U**

upconversion, 58  
  applications, 60  
  loop mechanism, 62

**V**

vanadate crystals  
  advantages and disadvantages, 166–167

  as alternative host, 158, 166  
  mode-locking, 176  
  properties, 168  
  performance characteristics, 170–171  
  Q-switching, 176  
Van der Waals interaction, 19

**W**

waveguide lasers, 3

**Y**

YALO, 2  
Yb:YAG laser  
  advantages, 141–142  
  characteristics, 143  
  disadvantages, 144  
  end-pumping, 145–146  
  face-pumping, 149  
  side-pumping, 147–148  
  thin disk configuration, 149–153  
YLF  
  holmium-doped, 53–54  
  neodymium-doped, 51–53  
  nonradiative decay rates, 50  
  properties generally, 43–44  
  refractive index, 46–49  
  thulium-doped, 54–55  
ytterbium laser, *see* Yb-YAG laser





Dr. Yehoshua Kalisky graduated from the Hebrew University of Jerusalem. Since that time he has initiated and conducted research with significant scientific and technical contributions to the field of solid state spectroscopy, photophysical processes in laser materials, photonics, electro-optics, and laser physics. As a researcher, group leader, and manager, he was responsible for research and development of various types of solid state, dye, and gas lasers and implementing them into various applications.

In recent years he was instrumental in the design of solid state laser systems, and the development of novel types of passively Q-switched, diode-pumped solid state lasers and relevant technologies for industrial applications. Dr. Kalisky has spent several years in leading laser industries and universities in the U.S., France, and Israel. Currently he is at the Nuclear Research Center Negev (NRCN), Israel, in the Chemistry Division. Dr. Kalisky is the author or coauthor of more than 140 scientific publications, five international patents, and numerous conference presentations.