PROCEEDINGS OF SPIE

Fifteenth International Conference on Information Optics and Photonics (CIOP 2024)

Yue Yang *Editor*

11–15 August 2024 Xi'an, China

Organized by Chinese Laser Press (China)

Technical Cosponsor and Published by SPIF

Volume 13418

Part One of Two Parts

Proceedings of SPIE 0277-786X, V. 13418

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in Fifteenth International Conference on Information Optics and Photonics (CIOP 2024), edited by Yue Yang, Proc. of SPIE 13418, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510686168

ISBN: 9781510686175 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2024 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xiii Conference Committee

Part One

| | FIFTEENTH INTERNATIONAL CONFERENCE ON INFORMATION OPTICS AND PHOTONICS (CIOP 2024) |
|----------|--|
| 13418 02 | An automatic identification algorithm for double hysteresis of nanomechanical resonators [13418-1] |
| 13418 03 | Internal field properties of chiral particles with dual Hermite beams [13418-4] |
| 13418 04 | Scattering characteristics of the inner field in chiral multilayer spherical structures under the action of a zero-order Bessel beam [13418-5] |
| 13418 05 | Octave-spanning frequency comb generation with a 1 GHz mode-locked laser [13418-6] |
| 13418 06 | Decoupling isolator inspired by conformal metasurface for significant MRI enhancement [13418-7] |
| 13418 07 | 33-GHz bandwidth planar InAlAs avalanche photodiodes for 50-Gbit/s PON applications [13418-11] |
| 13418 08 | 3+2 nd -order SMASH delta-sigma modulator with noise-coupling supported 65536-QAM for digital mobile fronthaul with OPGW [13418-12] |
| 13418 09 | Highly stable chip-based variable optical attenuation for continuous-variable quantum key distribution [13418-13] |
| 13418 0A | Scattered light spot phase retrieval and beam quality calculation based on transport-of-intensity equation $[13418\text{-}14]$ |
| 13418 OB | Terahertz spectral characterization of bituminous coal treated with nitric acid under different conditions [13418-15] |
| 13418 OC | Design and analysis of Hermite-Gaussian mode multiplexer based on multiplane light conversion (MPLC) [13418-16] |
| 13418 0D | Improved convolutional neural network-based symbol synchronization scheme in MB-OFDM UWBoF system [13418-17] |
| 13418 OE | Silicon integrated broadband optical multibeamformer combining both transmission and reception [13418-18] |

| 13418 OF | Accurate high-frequency measurement of electro-optic phase modulators based on optical spectrum analysis and microwave fixture de-embedding [13418-19] |
|----------|--|
| 13418 OG | Biophysical modeling of rod photoreceptors based on phototransduction and ionic channel [13418-20] |
| 13418 OH | Design and thermal analysis of dump beam window for the \$3FEL [13418-22] |
| 13418 01 | Study on denoising of deep neural networks in spatial heterodyne interferometric spectral information $[13418\text{-}23]$ |
| 13418 OJ | Performance analysis of underwater wireless optical communication system with mixed OFDM and QAM $[13418\text{-}24]$ |
| 13418 OK | Diffraction of two-dimensional liquid grating and its application in sound velocity measurement [13418-25] |
| 13418 OL | Low noise carrier switchable microwave linear frequency modulation source based on external modulation method [13418-26] |
| 13418 ON | Analysis of particle scattering characteristics with different transparency based on interferometric particle imaging [13418-31] |
| 13418 00 | Design and performance of Al-based ultraviolet communication film [13418-32] |
| 13418 OP | Effects of aggregating agents on the surface-enhanced Raman spectroscopic detection of carbendazim [13418-36] |
| 13418 0Q | Flexible cylindrical diffusing fiber for cervical canal photodynamic therapy [13418-38] |
| 13418 OR | A method of generating CO_2 laser pulses with stable waveform in an electro-optical Q-switched oscillator [13418-39] |
| 13418 OS | Scattered light field separation and high-quality imaging based on low-rank sparse matrix decomposition [13418-40] |
| 13418 OT | Image transmission and denoising under non-Kolmogorov turbulence [13418-41] |
| 13418 OU | Preparation and performance study of PLA @ PEO @ BT piezoelectric functional nanofibers $[13418\text{-}43]$ |
| 13418 OV | Generation of self-sweeping pulses in ytterbium-doped phosphate fibers [13418-44] |
| 13418 OW | A measurement method for train wheel size based on calibration block assisted whole wheel registration [13418-46] |
| 13418 OX | Research on the amplification performance of Er/Yb/P Co-doped microstructured fiber in C+L band [13418-47] |

| 13418 OY | Mode control simulation of a high-power fiber laser based on photonic lanterns [13418-50] |
|----------|---|
| 13418 OZ | Fringe projection profilometry for 3D measurement of wheel tread [13418-52] |
| 13418 10 | Depth perception and imaging of disease phantoms via polarimetry [13418-53] |
| 13418 11 | A modified algorithm for demultiplexing of multimode OAM beam based on scattering medium diffuser [13418-54] |
| 13418 12 | Generation of 1.8 MW, 68 fs pulses from a gain-managed nonlinear fiber laser [13418-56] |
| 13418 13 | Generation of 200 fs, 11 MW peak power optical vortex pulses from a few-mode Yb-doped fiber amplifier [13418-57] |
| 13418 14 | Experimental findings and generation mechanism of multiple horizontal crosstalk lines on the optoelectric detector [13418-58] |
| 13418 15 | Multi-path optical fiber transfer delay measurement based on compressed sensing [13418-59] |
| 13418 16 | Study on the polarization-maintaining performance of polarization-maintaining nanofibers with different diameters [13418-60] |
| 13418 17 | Micro-cylindrical lens-assisted femtosecond laser ultra-fine nanostructure etching on silicon surface [13418-62] |
| 13418 18 | Ultrafast photon counting based on avalanche waveform area integration of silicon photomultipliers up to 1.56 Gcps [13418-63] |
| 13418 19 | Simulation study of silicon photomultiplier with metal mesh on the surface [13418-64] |
| 13418 1A | A feasibility study of fabricating self-forming and self-aligned microlens arrays [13418-66] |
| 13418 1B | Transparent liquid concentration measurement device based on Mach-Zehnder interferometer [13418-68] |
| 13418 1C | Multinode GNSS-over-fiber 3D baseline measurement system with millimeter-level precision [13418-69] |
| 13418 1D | Sub-100-fs compression of μJ -level mid-infrared OPA pulses using a TiO ₂ thin plate [13418-73] |
| 13418 1E | Unpaired medical image enhancement based on generative adversarial networks [13418-74] |
| 13418 1F | Design and performance of stealth film in near/mid-infrared bands compatible with laser at 1.06 and 1.54 microns [13418-76] |

| 13418 1G | Distributed optical fiber sensing system based on a semiconductor optical amplifier ring cavity structure [13418-77] |
|-----------|---|
| 13418 1H | A real-time adaptive SOGI frequency multiplying technology for OFDR [13418-78] |
| 13418 11 | Rapid detection of beef quality based on near-infrared polarization hyperspectral multiparameter [13418-79] |
| 13418 1J | Multispectrum compatible stealth metasurface with spatially designable infrared emissivity [13418-81] |
| 13418 1K | 100 mW broadband tunable mid-infrared frequency comb based on difference frequency generation [13418-82] |
| 13418 1L | Point spread function modeling for coherent plane-wave compounding ultrasound imaging [13418-83] |
| 13418 1M | Research on the sources of contaminants in clean laser systems and their impact on the performance of dielectric film reflectors [13418-85] |
| 13418 1N | Cascaded meta-devices for novel applications [13418-86] |
| 13418 10 | A novel microwave photonic filter based on directly modulated distributed feedback semiconductor lasers [13418-87] |
| 13418 1P | Impact of murine skull on transcranial photoacoustic imaging: a numerical study [13418-88] |
| 13418 1Q | Design and fabrication of etchless lithium niobate photonic crystal nanobeam cavity for efficient photon manipulation [13418-90] |
| 13418 1R | PSIG-GAN: a polarization structure information guided generative adversarial network for stain transformation $[13418\text{-}91]$ |
| 13418 1\$ | A deep learning-based stereo speckle image matching method for rapid 3D reconstruction of weakly-textured surfaces [13418-93] |
| 13418 1T | Spatial mapping of orbital angular momentum beams based on multiplane light conversion [13418-94] |
| 13418 1U | Quantum metrology with two-mode photon-subtracted squeezed vacuum [13418-95] |
| 13418 1V | Artifact-free differential phase contrast quantitative phase imaging with aberration correction [13418-96] |

Part Two

| 13418 1W | Low-loss edge coupler for thin-film lithium niobate based on wafer-scale photolithography [13418-97] |
|----------|---|
| 13418 1X | Verification of all-fiber airborne coherent Doppler lidar for airspeed sensing and wind measurement [13418-100] |
| 13418 1Y | Low complexity carrier phase recovery based on Kalman filter with principal component analysis for coherent optical transmission system [13418-101] |
| 13418 1Z | Demand-sensitive hierarchical task offloading in collaborative cloud-edge elastic optical networks [13418-102] |
| 13418 20 | Analysis of temperature field characteristics of laser-sustained plasma light source [13418-103] |
| 13418 21 | Femtosecond laser directly writing of apodized fiber Bragg grating [13418-104] |
| 13418 22 | High-performance polarization-insensitive thermo-optic Mach–Zehnder switches [13418-105] |
| 13418 23 | Smallest refractive index discrepancy to destroy the output lineshape of double-microring resonators [13418-106] |
| 13418 24 | Actively Q-switched 452 nm blue laser based on intracavity frequency-doubled Nd: LiYF4 oscillator [13418-107] |
| 13418 25 | Compressive holography aided multi-slice ptychography [13418-108] |
| 13418 26 | Heart rate sensor based on single mode fiber-no core fiber structure [13418-110] |
| 13418 28 | High-precision controllable and continuous laser energy attenuator based on polarizing beam splitter prism [13418-112] |
| 13418 29 | An effective kHz repetition rate single longitudinal mode Q-switched Nd:YVO4 laser based on a volume Bragg grating [13418-115] |
| 13418 2A | Design of wideband and high absorption metamaterial absorber based on resistive film [13418-116] |
| 13418 2B | Dual-frequency optoelectronic oscillator based on a thin film lithium niobate chip [13418-117] |
| 13418 2C | Nano-precision displacement optical fiber sensor based on double-layer dielectric metasurface [13418-119] |
| 13418 2D | 9 W midinfrared supercontinuum generation in a thulium-doped ZBLAN fiber [13418-120] |

| 13418 2E | High-responsivity and high-bandwidth uni-traveling carrier photodetectors for ultra-high-speed transmission networks [13418-121] |
|-----------|--|
| 13418 2F | Laser-damage threshold of optical components based on lithium triborate (LBO) overview [13418-122] |
| 13418 2G | Neural rendering of underwater scenes under flat refractive geometry [13418-125] |
| 13418 2H | Contact lens from photopolymerizing the PEGDA modified hydrogel materials: material characterization and optical simulation [13418-126] |
| 13418 21 | Generation of high peak power 3.7 μm Raman soliton based on short-length fluorotellurite fiber $[13418\text{-}127]$ |
| 13418 2J | Ultra-high bandwidth signal and pump wavelength division multiplexer based on all-dielectric metasurface [13418-128] |
| 13418 2K | Broadband dispersion compensating Ge-doped sandwiched ring-core photonic crystal fiber for OAM modes [13418-129] |
| 13418 2L | Dual-type hyperspectral microscopic imaging system based on Fourier transform imaging spectrometer [13418-130] |
| 13418 2M | Advancements in intelligent photonics: the role of silicon photonics and phase change materials in high-efficiency computing [13418-131] |
| 13418 2N | Robust human joint positioning with a single-pixel detector [13418-132] |
| 13418 20 | Tunable beam shaping of higher-order azimuthally polarized beam with an off-axis vortex [13418-133] |
| 13418 2P | Robust active stereo three-dimensional reconstruction using RGB speckle projection [13418-134] |
| 13418 2Q | Injection-seeded H- β Fraunhofer line narrow-linewidth nanosecond pulsed optical parametric oscillator [13418-135] |
| 13418 2R | Easily implementable large-area multi-band stealth structure [13418-136] |
| 13418 2\$ | A functional link-based Volterra equalizer for 112 Gbps O-band PAM-4 optical systems [13418-137] |
| 13418 2T | Inverse design of narrow-band thermal emitter with tandem films structures using simulated annealing algorithm [13418-139] |
| 13418 2U | Salient context aware for improved image resizing [13418-141] |
| 13418 2V | Effect of time jitter of detectors on the non-local signal recovery in quantum microwave |

| 13418 2W | Customized optical Stokes skyrmion lattices [13418-143] |
|----------|---|
| 13418 2X | Effect of endogenous pumping on amplification bandwidth broadening in bismuth-doped fiber amplifiers [13418-145] |
| 13418 2Y | A fast optical storage method enabled by optically stimulated aggregation-induced emission [13418-146] |
| 13418 2Z | Full-band optical signal amplification using bismuth-doped multicomponent fibers: models and performance [13418-148] |
| 13418 30 | Study on AlGaInAs/AlGaAs quantum well intermixing effects based on SiO ₂ layer [13418-149] |
| 13418 31 | High power and narrow vertical divergence 1470 nm laser diodes [13418-150] |
| 13418 32 | Multi-branch identification using Φ-OTDR for PON physical layer monitoring [13418-151] |
| 13418 33 | Exploring coherent acoustic phonons in two-dimensional materials and hetero-layers [13418-153] |
| 13418 34 | Spectral-efficient IM-DD transmissions using a super-Nyquist subcarrier modulation [13418-154] |
| 13418 35 | Phase perturbation analysis for transient response of forward Brillouin scattering in acoustic impedance sensing [13418-155] |
| 13418 36 | Location method of in-line Sagnac distributed optical fiber sensing system based on CNN regression model and time domain signals [13418-157] |
| 13418 37 | Repetition rate locking of mode-locked laser with digital locking electronics at 50 MHz [13418-158] |
| 13418 38 | A new fringe analysis method based on shared bottom network for single frame 3D reconstruction [13418-159] |
| 13418 39 | Photonic compressed sensing of sparse radio frequency signals based on pulse stretching and compression structure [13418-160] |
| 13418 3A | Numerical demonstration of tunable multi-channel optical parametric amplifier using difference-frequency generation in a PPLN waveguide [13418-161] |
| 13418 3B | A passive compensation-based stable radio-frequency dissemination system using mode-locked laser [13418-162] |
| 13418 3C | Detection of raffinose hydration state at different temperatures using terahertz |

| 13418 3D | A 2D post-processing method for resolution enhancement of coherent wind lidar [13418-165] |
|-----------|--|
| 13418 3E | Pipeline intrusion event recognition method for distributed fiber optic acoustic sensing system based on central point feature [13418-166] |
| 13418 3F | Broadband low-repetition-rate mode-locked fiber laser for swept source optical coherence tomography [13418-167] |
| 13418 3G | Heterogeneous integration of thin-film lithium niobate and silicon photonics via microtransfer printing [13418-168] |
| 13418 3H | High-speed 850 nm VCSELs with ultra-low chip-parasitics [13418-169] |
| 13418 31 | Highly sensitive SPR refractive index sensor based on tapered capillary optical fiber [13418-170] |
| 13418 3J | Demodulation of temperature from sapphire fiber Bragg grating reflection spectra with Gaussian-like curve fitting algorithm [13418-171] |
| 13418 3K | Investigating the spatio-spectral characteristics of ultrashort pulses with wavelength-scanning ptychography [13418-172] |
| 13418 3L | Numerical phase matching optimization of nonlinear optical phase conjugation in several multimode nano-rib waveguides $[13418\text{-}173]$ |
| 13418 3M | Flexible delivery of mid-infrared ultrashort pulses using anti-resonant hollow-core fiber [13418-174] |
| 13418 3N | Gas pressure measurement using spatial heterodyne spectroscopy [13418-175] |
| 13418 30 | Bridgman growth and spectral properties of Er:Yb:Bi ₄ Si ₃ O ₁₂ crystals for 1.5–1.6µm laser [13418-177] |
| 13418 3P | Spatial transparency in atomic vapor: effects of transverse magnetic field on cylindrical vector beams [13418-178] |
| 13418 3Q | High pulse power 1550 tunnel junction laser diode [13418-179] |
| 13418 3R | Multiplex imaging flow cytometry with content-aware image restoration deep learning enhances cell imaging quality [13418-180] |
| 13418 3\$ | Effects of UV light on traditional Chinese pigments: a study of Malachite and Azurite in silk paintings [13418-181] |
| 13418 3T | A non-local means algorithm-based Raman-OTDR for high-performance distributed temperature sensing [13418-183] |
| 13418 3U | Generation of dual-band linearly frequency-modulated microwave signals based on photonic integrated chips [13418-184] |

| 13418 3V | A new approach to synthesising highly uniform, highly transmissive nanocrystalline diamond films for display protection [13418-187] |
|----------|---|
| 13418 3W | SWIR high-power narrow-linewidth semiconductor lasers for LiDAR and communication [13418-188] |
| 13418 3X | Demonstration of 640 km UDWDM transmission with low-complexity real-time coherent transceivers [13418-189] |
| 13418 3Y | Magnetic field sensing with multimaterial printed fiber-tip microcantilever [13418-190] |

Conference Committee

Conference Chairs

Yuri Kivshar, Australian National University (Australia) **Jianlin Zhao**, Northwestern Polytechnical University (China) **Xinliang Zhang**, Xidian University (China) and Huazhong University of

Science and Technology (China)

Din-Ping Tsai, City University of Hong Kong (China)

Technical Program Committee Chairs

Liangcai Cao, Tsinghua University (China) **Setsuhisa Tanabe**, Kyoto University (Japan)

Taco D. Visser, Shandong Normal University (China)

Baoli Yao, Xi'an Institute of Optics and Precision Mechanics of CAS (China)

Steering Committee

Jianrong Qiu, Zhejiang University (China)

Liangcai Cao, Tsinghua University (China)

Sen Han, University of Shanghai for Science and Technology (China)

Yidong Huang, Tsinghua University (China)

Hui Liu, Nanjing University (China)

Yanqing Lu, Nanjing University (China)

Zhichuan Niu, Institute of Semiconductors, CAS (China)

Shilong Pan, Nanjing University of Aeronautics and Astronautics (China)

Junle Qu, Shenzhen University (China)

Yikai Su, Shanghai Jiaotong University (China)

Xiangzhao Wang, Zhejiang University (China) and Shanghai Institute of Optics and Fine Mechanics, CAS (China)

Baoli Yao, Xi'an Institute of Optics and Precision Mechanics of CAS (China)

Siyuan Yu, Sun Yat-sen University (China)

Xiaocong Yuan, Shenzhen University (China)

Jianlin Zhao, Northwestern Polytechnical University (China)

Subcommittees

SC1: Light-Matter Interactions

Feng Chen, Xi'an Jiaotong University (China)

Qidai Chen, Jilin University (China)

Chunlei Guo, University of Rochester (United States)

Yan Li, Peking University (China)

Dong Wu, University of Science and Technology of China (China)

Francois Courvoisier, University of Franche-Comte (France)

Xiaowei Li, Beijing Institute of Technology (China)

Xiangping Li, Jinan University (China)

Godai Miyaji, Tokyo University of Agriculture and Technology (Japan)

Andreas Ostendorf, University of Bochum (Germany)

Wei Xiong, Huazhong University of Science and Technology (China)

SC2: Light Field Manipulation and Applications

Yangjian Cai, Shandong Normal University (China)

Shuqi Chen, Nankai University (China)

Sergey A. Ponomarenko, Dalhousie University (Canada)

Qiwen Zhan, University of Shanghai for Science and Technology (China)

Lixiang Chen, Xiamen University (China)

Chunhao Liang, Shandong Normal University (China)

Peng Li, Northwestern Polytechnical University (China)

Sergei Popov, KTH Royal Institute of Technology (Sweden)

Hanlin Qin, Xidian University (China)

Tero Setalä, University of Eastern Finland (Finland)

Taco D. Visser, Shandong Normal University (China)

Luqi Yuan, Shanghai Jiao Tong University (China)

Pei Zhang, Xi'an Jiaotong University (China)

SC3: Ultrafast and Nonlinear Phenomena

Yunquan Liu, Peking University (China)

Carlos Hernández-Garcia, University of Salamanca (Spain)

Dong Mao, Northwestern Polytechnical University (China)

Chuanshan Tian, Fudan University (China)

Yuxi Fu, Xi'an Institute of Optics and Precision Mechanics, CAS (China)

Pengfei Lan, Huazhong University of Science and Technology (China)

John Andrew McGuire, ShanghaiTech University (China)

Xueguang Ren, Xi'an Jiaotong University (China)

Weifeng Yang, Hainan University (China)

SC4: Advanced Lasers and Systems

Minglie Hu, Tianjin University (China)

Andrius Baltuska, Vienna University of Technology (Vienna)

Weiwei Liu, Nankai University (China)

Pu Zhou, National University of Defense Technology (China)

Hua Li, Shanghai Institute of Microsystem and Information Technology (China)

Zhengqian Luo, Xiamen University (China)

Jungwon Kim, Korea Advanced Institute of Science and Technology, (Korea, Republic of)

Guenter Steinmeyer, Max Born Institute (Germany)

Huailiang Xu, Xidian University (China)

Jinping Yao, Shanghai Institute of Optics and Fine Mechanics, CAS (China)

Xia Yu, Beihang University (China)

Jiangfeng Zhu, Xidian University (China)

SC5: Thin-film Lithium Niobate Photonics

Ya Cheng, East China Normal University (China)

Cheng Wang, City University of Hong Kong (China)

Zhenda Xie, Nanjina University (China)

Fang Bo, Nankai University (China)

Xinlun Cai, Sun Yat-sen University (China)

Hui Hu, Shandong University (China)

Liu Liu, Zhejiang University (China)

Kaihong Luo, Paderborn University (Germany)

Guanghui Ren, Royal Melbourne Institute of Technology (Australia)

Yong Zhang, Nanjing University (China)

Di Zhu, National University of Singapore (Singapore)

SC6: Silicon Photonics and Hybrid Integration

Yikai Su, Shanghai Jiao Tong University (China)

Daoxin Dai, Zhejiang University (China)

Siyuan Yu, Sun Yat-sen University (China)

Huoshuo Chen, Bell Labs (United States)

Lin Chang, Peking University (China)

Huan Li, Zhejiang University (China)

Xuetao Gan, Northwestern Polytechnical University (China)

Ciyuan Qiu, Shanghai Jiao Tong University (China)

Yonghui Tian, Lanzhou University (China)

SC7: Micro and Nanophotonics

Qihua Xiong, Tsinghua University (China)

Cheng-wei Qiu, National University of Singapore (Singapore)

Xiulai Xu, Peking University (China)

Igor Aharonovich, University of Technology Sydney (Australia)

Fena Li, Xi'an Jiaotona University (China)

Guixin Li, Southern University of Science and Technology (China)

Hui Liu, Naning University (China)

Xifeng Ren, University of Science and Technology of China (China)

Qing Zhang, Peking University (China)

SC8: Microwave Photonics

Jianguo Liu, Institute of Semiconductors, CAS (China)

Qinggui Tan, National Key Laboratory of Science and Technology on Space Microwave, CAST (China)

Xiaoke Yi, University of Sydney (Australia)

Tao Zhou, Southwest China Research Institute of Electronic Equipment (China)

Liwei Li, University of Sydney (Australia)

Ming Li, Institute of Semiconductors, CAS (China)

Shilong Pan, Nanjing University of Aeronautics and Astronautics (China) **Kai Wang**, The 38th Research Institute of China Electronics Technology Group Corporation (China)

Yiping Wang, Shenzhen University (China) **Jiejun Zhang**, Jinan University (China)

orași zirang, siriari oriivorari, (oriii

SC9: Plasmonics and Metamaterials

Lei Zhou, Fudan University (China)

Hui Liu, Nanjing University (China)

Shuang Zhang, The University of Hong Kong (China)

Qiong He, Fudan University (China)

Guixin Li, Southern University of Science and Technology (China)

Shunping Zhang, Wuhan University (China)

Dangyuan Lei, City University of Hong Kong (China)

SC10: Optical Materials

Shifeng Zhou, South China University of Technology (China)

Mathieu Allix, CEMHTI Laboratory (France)

Yihua Hu, National University of Defense Technology (China)

Atsunobu Masuno, Kyoto University (Japan)

Jiaiia Zhou, University of Technology Sydney (Australia)

Chongfeng Guo, Northwest University (China)

Qiang Fu, Corning Inc. (United States)

Jiang Li, Shanghai Institute of Ceramics (China)

Dazhi Lu, Shandona University (China)

Beibei Xu, Zhejiang University (China)

SC11: Optical Imaging, Display, and Storage

Liangcai Cao, Tsinghua University (China)

Jurgen Czarsky, Technische Universitat Dresden (Germany)

Xiaopeng Shao, Xi'an Institute of Optics and Precision Mechanics, CAS (China)

Guohai Situ, Shanghai Institute of Optics and Fine Mechanics, CAS (China)

Xiaodi Tan, Fujian Normal University (China)

Qionghua Wang, Beihang University (China)

Baoli Yao, Xi'an Institute of Optics and Precision Mechanics, CAS (China)

Peng Gao, Xidian University (China)

Cuifang Kuang, Zhejiang University (China)

Jinyang Liang, Institut national de la recherche scientifique (INRS) – Universite du Quebec (Canada)

Xiao Lin, Fujian Normal University (China)

Fei Liu, Xidian University (China)

Pasquale Memmolo, National Research Council (Italy)

Jinli Suo, Tsinghua University (China)

Bo Wang, Xi'an Institute of Optics and Precision Mechanics of CAS (China)

Di Wang, Beihang University (China)

Jiachen Wu, Tsinghua University (China)

Xinxing Xia, Shanghai University (China)

Xin Yuan, Westlake University (China)

Douguo Zhang, University of Science and Technology of China (China)

Jiwei Zhang, Northwestern Polytechnical University (China)

Yaping Zhang, Kunming University of Science and Technology (China)

Chao Zuo, Nanjing University of Science and Technology (China)

SC12: Optical Measurement and Metrology

Xiangzhao Wang, Zhejiang University (China) and Shanghai Institute of Optics and Fine Mechanics, CAS (China)

Zhishan Gao, Nanjing University of Sciences and Technology (China)

Takamasa Suzuki, Niigata University (Japan)

Samuel Choi, Niigata University (Japan)

Sen Han, University of Shanghai for Science and Technology (China)

Feng Shu, University of Sydney (Australia)

Sikun Li, Shanghai Institute of Optics and Fine Mechanics, CAS (China)

Shiyuan Liu, Huazhona University of Science and Technology (China)

Yuejing Qi, Institute of Microelectronics of CAS (China)

Kemao Qian, Nanyang Technological University (Singapore)

Yingiie Yu, Shanahai University (China)

Qican Zhang, Sichuan University (China)

SC13: Optical Sensors and Systems

Yongkang Dong, Harbin Institute of Technology (China)

Wei Ren, The Chinese University of Hong Kong (China)

Lei Wei, Nanyang Technological University (Singapore)

Xing Chao, Tsinghua University (China)

Lei Dong, Shanxi University (China)

Aamir Farooq, King Abdullah University (Saudi Arabia)

Xinyu Fan, Shanahai Jiao Tona University (China)

Tuan Guo, Jinan University (China)

Noel Healy, Newcastle University (United Kingdom)

Kwang Yong Song, Chung-Ang University (Korea, Republic of)

Qing Yang, Zhejiang University (China)

SC14: Optical Communications and Networks

Jianjun Yu, Fudan University (China)

Chongjin Xie, Alibaba Inc. (United States)

William Shieh, Westlake University (China)

Darko Zibar, Technical University of Denmark (Denmark)

Zizheng Cao, Peng Cheng Laboratory (China)

Lei Deng, Huazhong University of Science and Technology (China)

Guijun Hu, Jilin University (China)

Ning Liu, Soochow University (China)

Kaihui Wana, Fudan University (China)

Lilin Yi, Shanghai Jiao Tong University (China)

SC15: Optical Fiber and Waveguide Technologies

Jian Wana, Huazhona University of Science and Technology (China)

Siddharth Ramachandran, Boston University (United States)

Yiping Wang, Shenzhen University (China)

Changyuan Yu, The Hong Kong Polytechnic University (China)

George Yuhui Chen, Shenzhen University (United Kingdom)

Nicolas Fontaine, Nokia Bell Labs (United States)

Pengfei Wang, Harbin Engineering University (China)

Fei Xu, Nanjing University (China)

Lei Zhang, Yangtze Optical Fibre and Cable Joint Stock Limited Company (China)

Guiyao Zhou, South China Normal University (China)

SC16: Biophotonics and Optofluidics

Xunbin Wei, Peking University (China)

Puxiang Lai, The Hong Kong Polytechnic University (China)

Liwei Liu, Shenzhen University (China)

Velary Tuchin, Saratov State University (Russian Federation)

Xueli Chen, Xidian University (China)

Jinchao Feng, Beijing University of Technology (China)

Bobo Gu, Shanahai Jiao Tong University (China)

Qin Li, Beijing Institute of Technology (China)

Jinyang Liang, Institut national de la recherche scientifique (INRS) – Universite du Quebec (Canada)

Chengbo Liu, Shenzhen Institute of Advanced Technology, CAS (China)

Zhiyi Liu, Zhejiang University (China)

Xuantao Su, Shandona University (China)

Yiwen Sun, Shenzhen University (China)

Chao Tian, University of Science and Technology of China (China)

Chenguang Wang, Jilin University (China)

Lei Xi, Southern University of Science and Technology (China)

Sihua Yang, South China Normal University (China)

Cuiping Yao, Xi'an Jiaotong University (China)

Junjie Yao, Duke University (United States)

Shuhua Yue, Beihang University (China)

Qiuqiang Zhan, South China Normal University (China)

Renjie Zhou, Chinese University of Hong Kong (China)

SC17: Infrared and Terahertz Technologies

Weili Zhang, Oklahoma State University (United States)

Shengjiang Chang, Nankai University (China)

Jiaguang Han, Tianjin University/Guilin University of Electronic Technology (China)

Xiaojun Wu, Beihang University (China)

Jierong Cheng, Nankai University (China)

Longqing Cong, Southern University of Science and Technology (China)

Min Hu, University of Electronic Science and Technology of China (China)

Seongsin Margaret Kim, The University of Alabama (United States)

Withawat Withayachumnankul, The University of Adelaide (Australia)

Yue Wang, Xi'an University of Technology (China)

Yuping Yang, Minzu University of China (China)

Xiaofei Zang, University of Shanghai for Science and Technology (China)

Caihong Zhang, Nanjing University (China)

Fuli Zhang, Northwestern Polytechnical University (China)

Xueqian Zhang, Tianjin University (China)

SC18: Atomic Physics, Quantum Photonics, and Quantum Information

Xiaosong Ma, Nanjing University (China)

Lin Li, Huazhong University of Science and Technology (China)

Zhiliang Yuan, Beijing Academy of Quantum Information Sciences (China)

Shigian Ding, Tsinghua University (China)

Weijie Guo, Southern University of Science and Technology (China)

Feng Liu, Zhejiang University (China)

Gang Li, Shanxi University (China)

Shengshuai Liu, East China Normal University (China)

Kejin Wei, Guangxi University (China)

Xilin Wang, Nanjing University (China)

Peng Xu, Innovation Academy for Precision Measurement Science and Technology, CAS (China)

Lijian Zhang, Nanjing University (China)

Qingyuan Zhao, Nanjing University (China)

SC19: Intelligent Photonics

Jianji Dong, Huazhong University of Science and Technology (China)

Songnian Fu, Guangdong University of Technology (China)

Yichen Shen, Lightelligence (China)

Qizhen Sun, Huazhong University of Science and Technology (China)

Xingjun Wang, Peking University (China)
Li Zeng, Huawei Technologies Company Ltd. (China)
Han Zhang, Shenzhen University (China)
Linjie Zhou, Shanghai Jiao Tong University (China)
Heng Zhou, University of Electronic Science and Technology of China (China)