

# Journal of Biomedical Optics

BiomedicalOptics.SPIEDigitalLibrary.org

## **Errata: Two-stage multi-Gaussian fitting of conduit artery photoplethysmography waveform during induced unilateral hemodynamic events**

Andris Grabovskis  
Zbignevs Marcinkevics  
Uldis Rubins  
Juris Imants Aivars

# Errata: Two-stage multi-Gaussian fitting of conduit artery photoplethysmography waveform during induced unilateral hemodynamic events

**Andris Grabovskis,<sup>a</sup> Zbignevs Marcinkevics,<sup>b</sup> Uldis Rubins,<sup>a</sup> and Juris Imants Aivars<sup>b</sup>**

<sup>a</sup>University of Latvia, Institute of Atomic Physics and Spectroscopy, Raina Boulevard 19, Riga LV-1586, Latvia

<sup>b</sup>University of Latvia, Faculty of Biology, Department of Human and Animal Physiology, Raina Boulevard 19, Riga LV-1586, Latvia

[DOI: [10.1117/1.JBO.20.3.039801](https://doi.org/10.1117/1.JBO.20.3.039801)]

This article [*J. Biomed. Opt.* **20**(3), 035001 (2015).] was originally published online on 9 March 2015 with errors in the authors' names. The names have been corrected to appear as above.

This article was corrected online on 23 March 2015. It appears correctly in print.